




Transport
Roads & Maritime
Services

Test method T300

Method for sampling fresh concrete

OCTOBER 2012



Revision Summary

Ed/Rev Number	Clause Number	Description of Revision	Authorisation	Date
		Reformatted and Revision Summary Added	D.Dash	May 1999
		Date on Test Method Revised to Agree with Date on Revision Summary	D.Dash	Feb 2001
Ed 2/ Rev 0	All	Reformatted RMS template	J Friedrich	October 2012

Note that Roads and Maritime Services is hereafter referred to as 'RMS'.

The most recent revision to Test method T300 (other than minor editorial changes) are indicated by a vertical line in the margin as shown here.

Test method T300

Method for sampling fresh concrete

1. Scope

This method describes the procedure for obtaining a representative sample of freshly mixed concrete directly from dump trucks used to transport concrete in readiness for casting in the forms.

2. Test Requirements, Procedure and Reporting

This method is identical with AS 1012.1 except when concrete transported by dump trucks is sampled for consistence testing:

- (i) The sample shall be a composite of 3 increments obtained from different places in the dump truck, using a shovel or scoop to discard the top 100mm of concrete.
- (ii) The 3 sample increments shall be taken from the dump truck prior to tipping.