



SECTION 1
NOT TO SCALE



SECTION 2
NOT TO SCALE



PLAN
(GRATING REMOVED)

NOTES

1. CONCRETE GRADE N25.
2. SIDE WALLS OF ALL PITS DEEPER THAN 1 500 mm ARE TO BE REINFORCED WITH ONE LAYER OF SL82 MESH RETURNED 200 mm INTO BASE.
3. DEPTH OF PIT NOT TO EXCEED 3 500 mm. (SPECIAL DESIGN REQUIRED WHERE DEPTH GREATER THAN 3 500 mm)
4. PITS DEEPER THAN 1 200 mm TO BE FITTED WITH STEP IRONS.
5. WHERE LONGITUDINAL PIPE DIAMETER EXCEEDS 600 mm, PIT WALLS TO BE STEPPED IN ACCORDANCE WITH DS2014/005848.
6. LOCATION AND LEVEL OF REFERENCE POINT SHOWN ON DESIGN PLANS.
7. FOR DETAILS OF GRATE AND FRAME SEE R0220-05

THIS DRAWING MAY BE PREPARED IN COLOUR AND MAY BE INCOMPLETE IF COPIED

QR CODE SCAN TO CHECK DOCUMENT VER.			REV	DATE	AMENDMENT / REVISION DESCRIPTION	WVR No.	APPROVAL	ALL DIMENSIONS ARE IN MILLIMETRES UNLESS OTHERWISE SHOWN	ISSUED	Transport Roads & Maritime Services PREPARED BY ENGINEERING SERVICES ROAD POLICY, SPECIFICATIONS AND AND TECHNOLOGY	STANDARD DRAWING No. R0220-24	REV.
								SCALES ON A3 SIZE DRAWING CONTACT DETAILS SEND FEEDBACK ON THIS STANDARD DRAWING TO : technologystandards@rms.nsw.gov.au DATE 20.01.17	SFR MANAGER ROAD POLICY, SPECIFICATIONS & TECHNOLOGY		SHEET 1 OF 1 STATUS ISSUED EDMS No. DS2014/005844 ORIGINAL ISSUE DATE JANUARY 2017	A3