



Test method T203

Particle distribution of aggregates finer than 75 μm (by washing)

OCTOBER 2012



Revision Summary

Ed/Rev Number	Clause Number	Description of Revision	Authorisation	Date
		Reformatted and Revision Summary Added	D Dash	May 1999
		Date on Test Method Revised to Agree with Date on Revision Summary	D Dash	Feb 2001
	Cl 6	Report to the nearest 0.2% instead of 0.5%.- R. Gaughan	D Dash	Jul 2002
Ed 2/ Rev 0	All	New Issue. Conforms to AS 1141.12	J Friedrich	May 2010
Ed 2/ Rev 1	3(ii)	Amend accuracy of result. Minor format change.	J Friedrich	Apr 2012
Ed 3/ Rev 0	All	Reformatted RMS template	J Friedrich	October 2012

Note that Roads and Maritime Services is hereafter referred to as 'RMS'.

The most recent revision to Test method T203 (other than minor editorial changes) are indicated by a vertical line in the margin as shown here.

Test method T203

Particle distribution of aggregates finer than 75 μm (by washing)

1. Scope

This test method sets out the procedure for determining particle size in aggregates finer than 75 μm by washing.

2. General

- (a) The test is applicable for aggregate with particles finer than 75 μm .
- (b) The test may also be applicable to other materials using a selected range of sieves as required by particular specifications.
- (c) The following document is referred to in this Test Method:
 - (i) AS 1141.12 Methods for sampling and testing aggregates – Materials finer than 75 μm in aggregates (by washing)

3. Apparatus, Preparation, Procedure, Calculations and Reporting

This test method is identical to AS 1141.12 “Methods for Sampling and testing Aggregates – Materials Finer than 75 μm in Aggregates (by washing)” with the following amendments:

- (i) Report the test result to the nearest 0.1%.
- (ii) Include reference to this test method in the report.