



Transport
Roads & Maritime
Services

Test method T219

Acid soluble sulfate content in road construction materials

OCTOBER 2012



Revision Summary

Ed/Rev Number	Clause Number	Description of Revision	Authorisation	Date
		Reformatted and Revision Summary Added	D. Dash	May 1999
		Date on Test Method Revised to Agree with Date on Revision Summary	D. Dash	Feb 2001
	All	Generally Revised- Title Changed . Adopted method within AS 1141.36. Consistent spelling of sulphur	G. Donald	Nov 2007
Ed 3/ Rev 0	All	Reformatted RMS template	J Friedrich	October 2012

Note that Roads and Maritime Services is hereafter referred to as 'RMS'.

The most recent revision to Test method T219 (other than minor editorial changes) are indicated by a vertical line in the margin as shown here.

Test method T219

Acid soluble sulfate content in road construction materials

1. Scope

This test method sets out the procedure to determine the acid soluble sulfate content (expressed as SO_3) of road construction materials.

2. General

This test method is generally applicable for road construction materials including metallurgical slag and crushed rock.

3. Apparatus, Preparation, Procedure, Calculations and Reporting

This test method is identical to AS 1141.36 where the acid soluble sulfate content is determined using the "Acid soluble sulfate expressed as SO_3 " method, with the following amendment:

- (i) Include reference to this test method in the report.

NOTE: The determination of "Total sulfur" is not required.