



Register of Transport for NSW Asphalt Mixes

Supplier & Plant Name/Location	Mix Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
<u>Boral Asphalt NSW</u>								
Alstonville	AC 10MM A15E		XVP-244197	Y3669	R116 Ed 8 Rev 4	CONFORMING	28/02/2021	
	AC 14MM AR450	N/A	XVP-244239	Y3540	R116 Ed 8 Rev 4	CONFORMING	27/09/2020	
	AC 14MM A15E	N/A	XVP.244222	Y3604	R116 Ed 8 Rev 4	CONFORMING	03/02/2021	
	AC 20MM Glass	N/A	XVP-244267	Y3447	R116 Ed 8 Rev 4	CONFORMING	24/09/2020	
	AC 20MM AR450	N/A	XVP-244267	Y3447	R116 Ed 8 Rev 4	CONFORMING	24/09/2020	
	AC 20MM AR450	N/A	XVP-244267	Y3470	R116 Ed 8 Rev 4	CONFORMING	24/09/2020	
	AC 5MM AR450	N/A	XVP244290	Y3546	R116 Ed 8 Rev 4	CONFORMING	28/10/2020	
	SMA 10MM A15E	N/A	XVP244356	Y3544	R121 Ed 3 Rev 2	CONFORMING	23/11/2020	
	SMA 10MM A15E	N/A	XVP244354	Y3507	R121 Ed 3 Rev 2	CONFORMING	18/11/2020	
	SMA 10MM A15E	N/A	XVP244355	Y3670	R121 Ed 3 Rev 2	CONFORMING	03/06/2021	
	SMA 14MM Glass	N/A	XVP.244359	Y3758	R121 Ed 3 Rev 2	CONFORMING	16/08/2021	
	SMA 14MM Glass	N/A	XVP.244359	Y3758	R121 Ed 3 Rev 2	CONFORMING	16/08/2021	
	SMA 14MM A15E	N/A	XVP-244358	Y3420	R121 Ed 3 Rev 2	CONFORMING	28/09/2020	
Bringelly	AC 10MM AR450	1W	X4P.244207	Y3630	R116 Ed 8 Rev 4	CONFORMING	01/10/2020	
	AC 14MM AR450	N/A	X4P.244239	Y3426	R116 Ed 8 Rev 4	CONFORMING	07/12/2020	
	AC 14MM A15E	1PW	X4P.244217	Y3496	Not Available	CONFORMING	24/09/2020	
	AC 14MM A15E	1PW	X4P.248452	Y3896	R116 Ed 8 Rev 4	CONFORMING	05/06/2022	
	AC 14MM AR450	2W	X4P.248867	Y3629	R116 Ed 8 Rev 4	CONFORMING	25/03/2021	
	AC 14MM AR450	1	X4P.244235	Y3436	R116 Ed 8 Rev 4	CONFORMING	01/10/2020	
	AC 20MM AR450	1	X4P.244262	Y3411	R116 Ed 8 Rev 4	CONFORMING	24/09/2020	
	AC 20MM AR450	2	X4P.244265	Y3467	R116 Ed 8 Rev 4	CONFORMING	06/05/2021	
	AC 20MM AR450	3	X4P.248871	Y3684	R116 Ed 8 Rev 4	CONFORMING	01/07/2021	
Canberra	AC 14MM A15E	1PW	XUP.244217	Y3892	R116 Ed 8 Rev 4	CONFORMING	26/04/2022	
	AC 14MM AR450	2W	XUP.244236	Y3864	R116 Ed 8 Rev 4	CONFORMING	12/01/2022	
Carrington	AC 10MM AR450	1	XRP.244207	Y3699	R116 Ed 8 Rev 4	CONFORMING	18/05/2021	

Supplier & Plant Name/Location	Mix	Description	RAP Level	Supplier Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Carrington	AC	10MM A15E	N/A	XRP.244197	Y3708	R116 Ed 8 Rev 4	CONFORMING	31/05/2021	
	AC	10MM A15E	N/A	XRP.244209	Y3702	R116 Ed 8 Rev 4	CONFORMING	16/05/2021	
	AC	10MM AR450	1W	XRP.245060	Y3703	R116 Ed 8 Rev 4	CONFORMING	16/05/2021	
	AC	14MM AR450	1	XRP.244235	Y3698	R116 Ed 8 Rev 4	CONFORMING	18/05/2021	
	AC	14MM A15E	N/A	XRP.244226	Y3710	R116 Ed 8 Rev 4	CONFORMING	31/05/2021	
	AC	14MM AR450	2	XRP.248867	Y3925	R116 Ed 8 Rev 4	CONFORMING	22/06/2022	
	AC	14MM A15E	N/A	XRP.244222	Y3709	R116 Ed 8 Rev 4	CONFORMING	31/05/2021	
	AC	14MM AR450	1W	XRP.245063	Y3704	R116 Ed 8 Rev 4	CONFORMING	17/05/2021	
	AC	14MM AR450	N/A	XRP.244237	Y3717	R116 Ed 8 Rev 4	CONFORMING	10/06/2021	
	AC	14MM A15E	N/A	XRP.247853	Y3879	R116 Ed 8 Rev 4	CONFORMING	05/01/2022	
	AC	14MM A15E	1W	XRP.244217	Y3878	R116 Ed 8 Rev 4	CONFORMING	04/08/2021	
	AC	14MM AR450	N/A	XRP.244239	Y3712	R116 Ed 8 Rev 4	CONFORMING	16/05/2021	
	AC	20MM AR450	1	XRP.245067	Y3705	R116 Ed 8 Rev 4	CONFORMING	17/05/2021	
	AC	20MM AR450	N/A	XRP.244267	Y3701	R116 Ed 8 Rev 4	CONFORMING	16/05/2021	
	AC	20MM AR450	1	XRP.244262	Y3707	R116 Ed 8 Rev 4	CONFORMING	18/05/2021	
	AC	20MM A15E	N/A	XRP.244252	Y3700	R116 Ed 8 Rev 4	CONFORMING	31/05/2021	
	SMA	10MM A15E		XRP.244354	Y3616	Not Available	CONFORMING	01/03/2021	
	SMA	10MM A15E		XRP.244355	Y3615	Not Available	CONFORMING	23/02/2021	
Coffs Harbour (fixed)	AC	10MM AR450	N/A	XCP.244209	Y3568	R116 Ed 8 Rev 4	CONFORMING	25/01/2021	
	AC	10MM A15E	N/A	XCP.244197	Y3942	R116 Ed 8 Rev 4	CONFORMING	14/06/2022	
	AC	10MM AR450	N/A	XCP.244209	Y3941	R116 Ed 8 Rev 4	CONFORMING	15/05/2022	
	AC	10MM A15E	N/A	XCP.244197	Y3563	R116 Ed 8 Rev 4	CONFORMING	18/11/2020	
	AC	14MM A15E	N/A	XCP.244222	Y3943	R116 Ed 8 Rev 4	CONFORMING	14/06/2022	
	AC	14MM AR450	N/A	XCP.244239	Y3938	R116 Ed 8 Rev 4	CONFORMING	15/05/2022	
	AC	14MM A15E	N/A	XCP.244222	Y3575	R116 Ed 8 Rev 4	CONFORMING	23/02/2021	
	AC	14MM Glass	N/A	XCP.244239	Y3939	R116 Ed 8 Rev 4	CONFORMING	15/05/2022	
	AC	14MM AR450	N/A	XCP.244239	Y3939	R116 Ed 8 Rev 4	CONFORMING	15/05/2022	
AC	14MM AR450	N/A	XCP.244239	Y3577	R116 Ed 8 Rev 4	CONFORMING	26/01/2021		

Supplier & Plant Name/Location	Mix	Description	RAP Level	Supplier Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Coffs Harbour (fixed)	AC	20MM AR450	N/A	XCP.244267	Y3570	R116 Ed 8 Rev 4	CONFORMING	26/01/2021	
	AC	20MM AR450	N/A	XCP.244267	Y3940	R116 Ed 8 Rev 4	CONFORMING	15/05/2022	
	SMA	10MM A15E		XCP.422355	Y3605	R121 Ed 3 Rev 2	CONFORMING	22/02/2021	
Dubbo	AC	14MM AR450	N/A	XDP.244239	Y3385	R116 Ed 8 Rev 4	CONFORMING	11/11/2020	
	AC	14MM A15E	N/A	XDP.244222	Y3715	R116 Ed 8 Rev 4	CONFORMING	05/05/2021	
	AC	14MM A15E	N/A	XDP.244226	Y3716	R116 Ed 8 Rev 4	CONFORMING	05/05/2021	
Enfield	AC	20MM AR450	N/A	XDP.244267	Y3386	R116 Ed 8 Rev 4	CONFORMING	17/05/2022	
	AC	10MM A15E	N/A	XEP.248448	Y3762	R116 Ed 8 Rev 4	CONFORMING	07/08/2021	
	AC	10MM A15E	1PW	XEP.248446	Y3623	R116 Ed 8 Rev 4	CONFORMING	30/01/2021	
	AC	10MM AR450	1W	XEP.244207	Y3792	R116 Ed 8 Rev 4	CONFORMING	25/10/2021	
	AC	10MM A15E	1PW	XEP.244194	Y3893	R116 Ed 8 Rev 4	CONFORMING	17/04/2022	
	AC	10MM AR450	N/A	XEP.244209	Y3851	R116 Ed 8 Rev 4	CONFORMING	02/03/2022	
	AC	10MM A15E	N/A	XEP.248449	Y3909	R116 Ed 8 Rev 4	CONFORMING	06/06/2022	
	AC	10MM A35P	1PW	XEP.244198	Y3624	R116 Ed 8 Rev 4	CONFORMING	01/03/2021	
	AC	14MM A15E	1W	XEP.244217	Y3793	R116 Ed 8 Rev 4	CONFORMING	26/10/2021	
	AC	14MM AR450	1W	XEP.244235	Y3798	R116 Ed 8 Rev 4	CONFORMING	04/11/2021	
	AC	14MM Glass		XEP.222606	Y3886	Not Available	CONFORMING	26/04/2022	
	AC	14MM Glass		XEP.222606	Y3886	Not Available	CONFORMING	26/04/2022	
	AC	14MM A35P	N/A	XEP.248464	Y3608	R116 Ed 8 Rev 4	CONFORMING	13/02/2021	
	AC	14MM AR450	2W	XEP.248867	Y3791	R116 Ed 8 Rev 4	CONFORMING	01/11/2021	
	AC	14MM A15E	N/A	XEP.244226	Y3274	R116 Ed 8 Rev 4	CONFORMING	23/05/2022	
	AC	14MM A15E	N/A	XEP.244222	Y3797	R116 Ed 8 Rev 4	CONFORMING	08/11/2021	
	AC	14MM AR450	N/A	XEP.244239	Y3796	R116 Ed 8 Rev 4	CONFORMING	08/11/2021	
	AC	14MM A15E	N/A	XEP.247853	Y3790	R116 Ed 8 Rev 4	CONFORMING	31/10/2021	
	AC	14MM AR450	N/A	XEP.244237	Y3759	R116 Ed 8 Rev 4	CONFORMING	04/09/2021	
	AC	14MM A15E	N/A	XEP.248453	Y3275	R116 Ed 8 Rev 4	CONFORMING	08/05/2022	
AC	14MM A15E	1PW	XEP.254138	Y3911	R116 Ed 8 Rev 4	CONFORMING	07/05/2022		
AC	14MM A15E	1PW	XEP.248452	Y3904	R116 Ed 8 Rev 4	CONFORMING	07/05/2022		

Supplier & Plant Name/Location	Mix Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Enfield	AC 20MM AR450 2		XEP.244265	Y3763	R116 Ed 8 Rev 4	CONFORMING	14/09/2021	
	AC 20MM AR450 N/A		XEP.244262	Y3807	R116 Ed 8 Rev 4	CONFORMING	23/11/2021	
	AC 20MM AR450 2		XEP.248458	Y3794	R116 Ed 8 Rev 4	CONFORMING	26/10/2021	
	AC 20MM A35P 1		XEP.245071	Y3625	R116 Ed 8 Rev 4	CONFORMING	25/02/2021	
	AC 20MM A15E 1		XEP.249168	Y3706	R116 Ed 8 Rev 4	CONFORMING	19/07/2021	
	AC 20MM AR450 2		XEP.248871	Y3775	R116 Ed 8 Rev 4	CONFORMING	06/10/2021	
	AC 20MM AR450 1		XEP.244262	Y3819	R116 Ed 8 Rev 4	CONFORMING	23/11/2021	
	AC 20MM AR450 N/A		XEP.244267	Y3818	R116 Ed 8 Rev 4	CONFORMING	16/11/2021	
	AC 20MM AR450 2		XEP.248459	Y3694	R116 Ed 8 Rev 4	CONFORMING	04/07/2021	
	AC 28MM AR450 2		XEP.244284	Y3805	R116 Ed 8 Rev 4	CONFORMING	14/11/2021	
	AC 28MM AR450 2		XEP.248457	Y3649	R116 Ed 8 Rev 4	CONFORMING	09/05/2021	
	AC 7MM AR450 N/A		XEP.244297	Y3844	R116 Ed 8 Rev 4	CONFORMING	17/01/2022	
	OG 10MM A15E N/A		XEP.244346	Y3852	R119 Ed 1 Rev 2	CONFORMING	13/03/2022	
Maclean	AC 10MM AR450 N/A		X27.244209	Y3686	R116 Ed 8 Rev 4	CONFORMING	18/06/2021	
	AC 10MM A15E N/A		X27.244197	Y3691	R116 Ed 8 Rev 4	CONFORMING	30/06/2021	
	AC 14MM AR450 N/A		X27.244239	Y3687	R116 Ed 8 Rev 4	CONFORMING	17/06/2021	
	AC 14MM A15E		X27.244222	Y3692	Not Available	CONFORMING	30/06/2021	
	AC 20MM AR450 N/A		X27.244267	Y3688	R116 Ed 8 Rev 4	CONFORMING	15/06/2021	
	SMA 10MM A15E N/A		X27.244355	Y3685	R121 Ed 3 Rev 2	CONFORMING	21/06/2021	
	SMA 14MM A15E N/A		X27.244359	Y3768	R121 Ed 3 Rev 2	CONFORMING	04/08/2021	
Port Kembla	AC 10MM AR450 1W		XKP.245060	Y3843	R116 Ed 8 Rev 4	CONFORMING	11/11/2021	
	AC 10MM AR450 N/A		XKP.244209	Y3894	R116 Ed 8 Rev 4	CONFORMING	25/01/2022	
	AC 14MM AR450 N/A		XKP.244237	Y3778	R116 Ed 8 Rev 4	CONFORMING	15/09/2021	
	AC 14MM AR450 1W		XKP.245063	Y3714	R116 Ed 8 Rev 4	CONFORMING	14/06/2021	
	AC 20MM AR450 1		XKP.245067	Y3777	R116 Ed 8 Rev 4	CONFORMING	04/10/2021	
	AC 20MM AR450 N/A		XKP.244267	Y3713	R116 Ed 8 Rev 4	CONFORMING	14/06/2021	
	AC 20MM AR450 1		XKP.247580	Y3776	R116 Ed 8 Rev 4	CONFORMING	04/10/2021	
Taree (Hunter)	AC 10MM AR450 N/A		XTP	Y3427	R116 Ed 8 Rev 4	CONFORMING	04/11/2020	

Supplier & Plant Name/Location	Mix	Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Taree (Hunter)	AC	14MM AR450	N/A	XTP244239	Y3487	R116 Ed 8 Rev 4	CONFORMING	04/11/2020	
	AC	20MM AR450	N/A	XTP244267	Y3440	R116 Ed 8 Rev 4	CONFORMING	04/11/2020	
West Burleigh QLD	AC	10MM AR450	N/A	B:AC10H/20/2220	Y3945	R116 Ed 8 Rev 4	PENDING	15/05/2022	VMA outside spec
	AC	14MM AR450	N/A	AC14H/19/2151	Y3637	R116 Ed 8 Rev 4	CONFORMING	30/03/2021	
	AC	14MM AR450	N/A	AC14H-19-151	Y3638	R116 Ed 8 Rev 4	CONFORMING	30/03/2021	
	AC	20MM AR450	N/A	AC20H 19 2152	Y3515	R116 Ed 8 Rev 4	CONFORMING	02/02/2021	
Colas NSW									
Cooperabung (Hunter)	AC	10MM A15E	N/A	07 - 13630	Y3646	R116 Ed 8 Rev 4	CONFORMING	28/03/2021	
	AC	10MM AR450	N/A	07 - 13330	Y3642	R116 Ed 8 Rev 4	CONFORMING	28/03/2021	
	AC	14MM AR450	N/A	07 - 16330	Y3643	R116 Ed 8 Rev 4	CONFORMING	30/03/2021	
	AC	14MM A15E	N/A	07 - 16630	Y3647	R116 Ed 8 Rev 4	CONFORMING	30/03/2021	
	AC	20MM AR450	N/A	07 - 18330	Y3644	R116 Ed 8 Rev 4	CONFORMING	28/03/2021	
	AC	20MM A15E	N/A	07 - 18630	Y3648	R116 Ed 8 Rev 4	CONFORMING	28/03/2021	
	AC	7MM AR450	N/A	07 - 12330	Y3641	R116 Ed 8 Rev 4	CONFORMING	28/03/2021	
Iluka	AC	7MM A15E	N/A	07 - 12630	Y3645	R116 Ed 8 Rev 4	CONFORMING	28/03/2021	
	AC	10MM A15E		08 - 13635	Y3613	Not Available	CONFORMING	17/02/2021	
	AC	10MM AR450	N/A	08 - 13335	Y3613	R116 Ed 8 Rev 4	CONFORMING	17/02/2021	
	AC	14MM AR450	N/A	08 - 16335	Y3611	R116 Ed 8 Rev 4	CONFORMING	22/02/2021	
	AC	20MM AR450	N/A	08 - 18335	Y3614	R116 Ed 8 Rev 4	CONFORMING	22/02/2021	
	AC	7MM AR450	N/A	08 - 12335	Y3612	R116 Ed 8 Rev 4	CONFORMING	17/02/2021	
Tomago	SMA	10MM A15E		08-33605	Y3618	Not Available	CONFORMING	04/03/2021	
	SMA	14MM A15E	N/A	08 - 36605	Y3828	R121 Ed 3 Rev 2	CONFORMING	22/08/2021	
	AC	10MM AR450	1W	01 - 415	Y3745	R116 Ed 8 Rev 4	CONFORMING	07/06/2021	
	AC	10MM A15E	N/A	01 - 409	Y3620	R116 Ed 8 Rev 4	CONFORMING	25/11/2020	
	AC	10MM AR450	N/A	01 - 403	Y3465	R116 Ed 8 Rev 4	CONFORMING	25/11/2020	
AC	14MM A15E	N/A	01 - 5414	Y3785	R116 Ed 8 Rev 4	CONFORMING	23/03/2021		
AC	14MM AR450	N/A	01 - 484	Y3664	R116 Ed 8 Rev 4	CONFORMING	23/03/2021		

Supplier & Plant Name/Location	Mix Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Tomago	AC 14MM AR450	1	01 - 445	Y3628	R116 Ed 8 Rev 4	CONFORMING	10/01/2021	
	AC 20MM AR450	3	01 - 523	Y3627	R116 Ed 8 Rev 4	CONFORMING	09/01/2021	
	AC 20MM AR450	1	01 - 6120.15	Y3906	R116 Ed 8 Rev 4	CONFORMING	14/02/2022	
	AC 20MM AR450	2	01 - 6120.20	Y3757	R116 Ed 8 Rev 4	CONFORMING	18/07/2021	
	AC 20MM AR450	N/A	01 - 459	Y3636	R116 Ed 8 Rev 4	CONFORMING	10/01/2021	
	OG 10MM A15E	N/A	01 - 507	Y3607	R119 Ed 1 Rev 2	CONFORMING	23/02/2021	
	OG 10MM A15E	N/A	01 - 1541.00	Y3977	R119 Ed 1 Rev 2	PENDING	31/08/2022	Awaiting DCV and MBV
	RUB BER 14MM AR450	N/A	01 - 450	Y3815	R118 Ed 1 Rev 1	CONFORMING	05/12/2021	

Downer EDI

Bathurst (Kelso)	AC 10MM AR450	N/A	128130.02	Y3784	R116 Ed 8 Rev 4	CONFORMING	29/07/2021	
	AC 10MM A15E	N/A	128 - 130.32	Y3675	R116 Ed 8 Rev 4	CONFORMING	26/06/2021	
	AC 10MM AR450	N/A	128 - 130.02	Y3677	R116 Ed 8 Rev 4	CONFORMING	27/06/2021	
	AC 14MM A15E	N/A	128 - 230.06	Y3676	R116 Ed 8 Rev 4	CONFORMING	17/05/2021	
	AC 14MM A15E	N/A	128230.38	Y3711	R116 Ed 8 Rev 4	PENDING	20/07/2021	Awaiting T640 and Modulus
	AC 14MM AR450	N/A	128 - 230.32	Y3697	R116 Ed 8 Rev 4	CONFORMING	17/05/2021	
	AC 14MM AR450	N/A	128230.02	Y3779	R116 Ed 8 Rev 4	CONFORMING	29/10/2021	
	AC 14MM AR450	N/A	128230.32	Y3653	R116 Ed 8 Rev 4	CONFORMING	17/05/2021	
	AC 20MM AR450	N/A	128330.32	Y3654	R116 Ed 8 Rev 4	CONFORMING	02/05/2021	
Hume (Southern)	AC 10MM AR450	N/A	101 - 1025W	Y3266	R116 Ed 8 Rev 4	CONFORMING	15/04/2021	
	AC 10MM AR450	N/A	101 - 1034W	Y3267	R116 Ed 8 Rev 4	CONFORMING	07/04/2021	
	AC 10MM AR450		101 -1034W	Y2831	R116 Ed 8 Rev 4	CONFORMING	07/04/2021	
	AC 10MM Glass	N/A	101 - 1043	Y3891	R116 Ed 8 Rev 4	PENDING	06/05/2022	
	AC 10MM AR450	N/A	101 - 1043	Y3891	R116 Ed 8 Rev 4	PENDING	06/05/2022	
	AC 10MM A15E	N/A	101 - 105W	Y3602	R116 Ed 8 Rev 4	CONFORMING	21/01/2021	
	AC 10MM A15E	N/A	101 - 105	Y3282	R116 Ed 8 Rev 4	CONFORMING	16/04/2021	
	AC 14MM A15E	N/A	101 - 147	Y3853	R116 Ed 8 Rev 4	CONFORMING	22/03/2022	
	AC 14MM AR450	1	101 - 1426W	Y3603	R116 Ed 8 Rev 4	CONFORMING	23/01/2021	

Supplier & Plant Name/Location	Mix Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Hume (Southern)	AC 14MM A15E	N/A	101 - 147W	Y3269	R116 Ed 8 Rev 4	CONFORMING	15/04/2021	
	AC 14MM AR450	N/A	101 - 1420W	Y3622	R116 Ed 8 Rev 4	CONFORMING	08/03/2021	
	AC 20MM AR450	1	101 - 2023W	Y3273	R116 Ed 8 Rev 4	CONFORMING	25/04/2021	
	AC 20MM AR450	N/A	101 - 2016W	Y3609	R116 Ed 8 Rev 4	CONFORMING	21/02/2021	
	AC 20MM AR450	2	1012031	Y3461	R116 Ed 8 Rev 4	CONFORMING	14/10/2020	
	RUB 14MM AR450 BER	N/A	10114CR	Y3497	R118 Ed 1 Rev 1	CONFORMING	11/10/2020	
	SMA 10MM A15E	N/A	101 - 1023W	Y3281	R121 Ed 3 Rev 2	CONFORMING	21/05/2021	
	SMA 14MM A15E	N/A	101149W	Y3789	R121 Ed 3 Rev 2	CONFORMING	26/08/2021	
	SMA 14MM A15E	N/A	101 -149	Y2883	R121 Ed 3 Rev 2	CONFORMING	05/05/2021	
Mogo	AC 10MM A15E	N/A	105 - 10PMBHD	Y3673	R116 Ed 8 Rev 4	CONFORMING	01/06/2021	
	AC 10MM AR450	N/A	105-10HD450	Y3283	R116 Ed 8 Rev 4	CONFORMING	23/05/2021	
	AC 14MM A15E	N/A	105 - 14PMBHD	Y3299	R116 Ed 8 Rev 4	CONFORMING	26/05/2021	
	AC 14MM AR450	N/A	105-14HD450	Y3284	R116 Ed 8 Rev 4	CONFORMING	24/05/2021	
	AC 20MM AR450	N/A	105-20HD450	Y3285	R116 Ed 8 Rev 4	CONFORMING	25/05/2021	
Narrandera	OG 10MM A15E	N/A	11310OG	Y3423	R119 Ed 1 Rev 2	CONFORMING	28/09/2020	
Oberon	AC 10MM A15E	N/A	153130.36	Y3902	R116 Ed 8 Rev 4	PENDING	06/04/2022	2.36mm sieve out of tolerance
	AC 14MM AR450	N/A	153230.02	Y3858	R116 Ed 8 Rev 4	PENDING	22/03/2022	Awaiting T640 and Modulus
	AC 20MM AR450	N/A	153330.02	Y3859	R116 Ed 8 Rev 4	PENDING	22/03/2022	Awaiting T640 and Modulus
Rosehill	AC 10MM C320	3	109 - 135.01	Y3606	Not Available	CONFORMING	27/01/2021	Correction layer only
	AC 10MM AR450	2W	109133.02	Y3774	R116 Ed 8 Rev 4	CONFORMING	07/10/2021	
	AC 14MM A15E	2W	109231.26	Y3976	R116 Ed 8 Rev 4	CONFORMING	05/09/2022	
	AC 14MM A15E	N/A	109237.36	Y3910	R116 Ed 8 Rev 4	CONFORMING	20/04/2022	
	AC 14MM A15E	1PW	109231.36	Y3912	R116 Ed 8 Rev 4	CONFORMING	11/01/2022	
	AC 14MM AR450	2W	109 - 233.22	Y3718	R116 Ed 8 Rev 4	CONFORMING	21/03/2021	
	AC 14MM AR450	2W	109233.42	Y3800	R116 Ed 8 Rev 4	CONFORMING	30/10/2021	
	AC 14MM AR450	2W	109233.02	Y3829	R116 Ed 8 Rev 4	CONFORMING	09/01/2022	
	AC 14MM A15E	1PW	109231.06	Y3822	R116 Ed 8 Rev 4	CONFORMING	11/01/2022	
	AC 14MM A15E	N/A	109237.06	Y3764	R116 Ed 8 Rev 4	CONFORMING	27/09/2021	

Supplier & Plant Name/Location	Mix Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Rosehill	AC 14MM AR450 2W		109234.02	Y3865	R116 Ed 8 Rev 4	CONFORMING	29/10/2021	
	AC 14MM AR450 2W		109233.32	Y3913	R116 Ed 8 Rev 4	CONFORMING	09/01/2022	
	AC 20MM AR450 2		109 - 334.32	Y3626	R116 Ed 8 Rev 4	CONFORMING	22/03/2021	
	AC 20MM A35P 1P		109331.07	Y3866	R116 Ed 8 Rev 4	CONFORMING	13/03/2022	
	AC 20MM A5E 1		109331.09	Y3585	R116 Ed 8 Rev 4	CONFORMING	30/09/2020	A5E binder
	AC 20MM AR450 4		109335.82	Y3888	R116 Ed 8 Rev 4	CONFORMING	28/06/2021	
	AC 20MM AR450 4		109335.32	Y3903	R116 Ed 8 Rev 4	CONFORMING	28/06/2021	
	AC 20MM A15E		109331.06	Y3867	Not Available	CONFORMING	13/03/2022	
	AC 20MM AR450		109335.22A	Y3921	Not Available	CONFORMING	05/07/2022	awaiting t640 and modulus. Contains 2.5% glass
	AC 20MM AR450 3		109335.42	Y3799	R116 Ed 8 Rev 4	CONFORMING	13/11/2021	
	AC 20MM AR450 3		109 - 335.02	Y3719	R116 Ed 8 Rev 4	CONFORMING	15/06/2021	
	AC 20MM AR450 3		109 - 335.22	Y3674	R116 Ed 8 Rev 4	CONFORMING	18/05/2021	Conforms to R116 Ed 8 Rev 5
	AC 20MM AR450 3		109334.02	Y3765	R116 Ed 8 Rev 4	CONFORMING	29/09/2021	
	AC 28MM AR450 4		109435.22	Y3901	R116 Ed 8 Rev 4	CONFORMING	25/04/2022	
	AC 28MM AR450 4		109435.02	Y3882	R116 Ed 8 Rev 4	CONFORMING	19/04/2022	
	AC 28MM AR450 2		109434.32	Y3769	R116 Ed 8 Rev 4	CONFORMING	21/10/2021	Contains 0.3% cecabase
	AC 28MM AR450 4		109435.82	Y3900	R116 Ed 8 Rev 4	CONFORMING	25/04/2022	
	AC 28MM A15E 1		109431.06	Y3926	R116 Ed 8 Rev 4	PENDING	17/07/2022	Awaiting T640 and Modulus
	AC 7MM AR450		109030.02	Y3783	Not Available	CONFORMING	16/09/2021	
	OG 10MM A15E N/A		109150.06	Y3883	R119 Ed 1 Rev 2	CONFORMING	28/03/2022	
SMA 10MM A15E N/A		109170.06	Y3534	R121 Ed 3 Rev 2	CONFORMING	09/12/2020		
Shepparton	AC 14MM A10E N/A		R19-0471	Y3780	R116 Ed 8 Rev 4	CONFORMING	21/10/2021	
	AC 14MM AR450 N/A		R19-0470	Y3781	R116 Ed 8 Rev 4	CONFORMING	21/10/2021	
	AC 20MM AR450 N/A		R19-0469	Y3782	R116 Ed 8 Rev 4	CONFORMING	21/10/2021	
Teralba	AC 10MM A15E 1PW		152 - 131.06	Y3678	R116 Ed 8 Rev 4	PENDING	06/04/2021	Awaiting T640 and modulus
	AC 10MM AR450 2W		152133.02	Y3652	R116 Ed 8 Rev 4	CONFORMING	06/04/2021	
	AC 10MM AR450 1		152 - 131.02	Y3679	R116 Ed 8 Rev 4	PENDING	08/06/2021	Awaiting T640 and modulus
	AC 14MM AR450 N/A		152 - 230.02	Y3680	R116 Ed 8 Rev 4	PENDING	22/05/2021	Awaiting T640 and Modulus

Supplier & Plant Name/Location	Mix Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes	
Teralba	AC 14MM AR450 2W		152233.02	Y3803	R116 Ed 8 Rev 4	CONFORMING	26/10/2021		
	AC 14MM A15E 1PW		152 - 231.06	Y3681	R116 Ed 8 Rev 4	CONFORMING	09/06/2021		
	AC 14MM AR450 N/A		152237.02	Y3735	R116 Ed 8 Rev 4	CONFORMING	26/05/2021		
	AC 14MM AR450 2		152233.02	Y3633	R116 Ed 8 Rev 4	CONFORMING	06/04/2021		
	AC 14MM A15E N/A		152237.06	Y3736	R116 Ed 8 Rev 4	CONFORMING	26/05/2021		
	AC 14MM AR450 2W		152233.02	Y3809	R116 Ed 8 Rev 4	PENDING	08/12/2021	Awaiting T640 and Modulus	
	AC 14MM AR450 1W		152 - 231.02	Y3682	R116 Ed 8 Rev 4	PENDING	10/06/2021	Awaiting T640 and Modulus	
	AC 20MM AR450 3		152334.02	Y3808	R116 Ed 8 Rev 4	PENDING	05/12/2021	Awaiting T640 and Modulus	
	AC 20MM AR450 3		152334.02	Y3804	R116 Ed 8 Rev 4	CONFORMING	24/10/2021		
	AC 20MM AR450 3		152334.02	Y3634	R116 Ed 8 Rev 4	CONFORMING	06/04/2021		
	AC 28MM AR450 3		152434.02	Y3651	R116 Ed 8 Rev 4	PENDING	03/05/2021	Awaiting T640 and modulus. Also 13.2mm sieve out of spec	
	OG 10MM A15E N/A		152150.06	Y3915	R119 Ed 1 Rev 2	CONFORMING	26/06/2022		
	OG 10MM A15E N/A		152150.06BH	Y3854	R119 Ed 1 Rev 2	CONFORMING	20/03/2022		
	OG 10MM A15E N/A		152150.06H	Y3857	R119 Ed 1 Rev 2	CONFORMING	21/03/2022		
	RUB 14MM AR450 BER		N/A	152 - 240.02	Y3683	R118 Ed 1 Rev 1	CONFORMING	14/06/2021	
	SMA 10MM A15E N/A		152170.06	Y3827	R121 Ed 3 Rev 2	CONFORMING	24/01/2022		
	SMA 10MM Glass N/A		152170.36	Y3889	R121 Ed 3 Rev 2	PENDING	24/01/2022		
	SMA 10MM Glass N/A		152-170.06	Y3810	R121 Ed 3 Rev 2	PENDING	07/12/2021		
	SMA 10MM A15E N/A		152170.36	Y3889	R121 Ed 3 Rev 2	PENDING	24/01/2022		
SMA 10MM A15E N/A		152-170.06	Y3810	R121 Ed 3 Rev 2	PENDING	07/12/2021			
Wodonga	AC 10MM AR450 1		315 - 141D	Y3523	R116 Ed 8 Rev 4	CONDITIONAL	29/09/2020	Awaiting T640 and Modulus	
	AC 10MM AR450 1W		353 - 19 0607	Y3741	R116 Ed 8 Rev 4	CONFORMING	29/08/2021		
	AC 10MM AR450 N/A		140 - 10 450 LS	Y3481	R116 Ed 8 Rev 4	CONFORMING	08/01/2021		
	AC 14MM A15E N/A		140 - 14.A15E	Y3771	R116 Ed 8 Rev 4	CONFORMING	04/01/2021		
	AC 14MM AR450 1PW		353 - 19 0705	Y3742	R116 Ed 8 Rev 4	CONFORMING	29/08/2021		
	AC 14MM AR450 N/A		140 - 14 450LS	Y3432	R116 Ed 8 Rev 4	CONFORMING	04/01/2021		
	AC 20MM AR450 N/A		140 - 20 ACHD 450	Y3499	R116 Ed 8 Rev 4	CONFORMING	07/01/2021		

Supplier & Plant Name/Location	Mix	Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes	
Wodonga	AC	20MM AR450	1	140 - 20ACHD 15%RAP	Y3773	R116 Ed 8 Rev 4	CONFORMING	31/10/2021		
	AC	7MM AR450	N/A	140 - 3151410	Y3489	R116 Ed 8 Rev 4	CONFORMING	20/01/2021		
	OG	10MM A15E	N/A	315 - 10OGA15E	Y3466	R119 Ed 1 Rev 2	CONFORMING	01/10/2020		
Fenworx Pty Ltd										
Moree	AC	14MM AR450	N/A	03 - 002	Y3905	R116 Ed 8 Rev 4	CONFORMING	06/10/2021		
	AC	14MM A15E	N/A	03 - 004	Y3908	R116 Ed 8 Rev 4	CONFORMING	25/11/2021		
	AC	20MM AR450	N/A	03 - 002	Y3907	R116 Ed 8 Rev 4	CONFORMING	06/10/2021		
Muswellbrook	AC	10MM AR450	N/A	04 - 001	Y3848	R116 Ed 8 Rev 4	CONFORMING	20/02/2022		
	AC	14MM AR450	N/A	04 - 002	Y3820	R116 Ed 8 Rev 4	PENDING	19/01/2022	Awaiting T640,	
	AC	14MM A15E	N/A	04 - 007	Y3880	R116 Ed 8 Rev 4	PENDING	13/04/2022	Awaiting T640 and modulus	
	AC	14MM AR450	N/A	04 - 008	Y3944	R116 Ed 8 Rev 4	PENDING	12/07/2022	Awaiting Modulus	
	AC	14MM A15E	N/A	04 - 010	Y3974	R116 Ed 8 Rev 4	PENDING	17/08/2022	awaiting T640 and Modulus	
	AC	20MM AR450	N/A	04 - 004	Y3849	R116 Ed 8 Rev 4	CONFORMING	20/02/2022		
	AC	20MM AR450	N/A	04 - 009	Y3946	R116 Ed 8 Rev 4	CONDITIONAL	10/07/2022	Awaiting T640 and Modulus	
	Tomago (Hunter)	AC	10MM AR450	N/A	01 - 003	Y3825	R116 Ed 8 Rev 4	CONFORMING	24/11/2021	
		AC	10MM A15E	N/A	01 - 039	Y3951	R116 Ed 8 Rev 4	PENDING	22/07/2022	Awaiting T640 and Modulus
AC		14MM AR450	1	01 - 006	Y3949	R116 Ed 8 Rev 4	PENDING	13/06/2022	Awaiting T640 , modulus	
AC		14MM A15E	N/A	01 - 018	Y3950	R116 Ed 8 Rev 4	PENDING	26/03/2022	Awaiting T640 and modulus	
AC		14MM A15E	N/A	01 - 024	Y3860	R116 Ed 8 Rev 4	CONFORMING	20/02/2022		
AC		14MM A15E	N/A	01 - 042	Y3972	R116 Ed 8 Rev 4	PENDING	30/05/2022	Awaiting Modulus and DCV	
AC		14MM AR450	N/A	01 - 009	Y3850	R116 Ed 8 Rev 4	CONFORMING	03/02/2022		
AC		14MM AR450	N/A	01 - 007	Y3748	R116 Ed 8 Rev 4	CONFORMING	21/06/2021		
AC		20MM AR450	1	01 - 027	Y3948	R116 Ed 8 Rev 4	PENDING	13/06/2022	Awaiting DCV	
AC		20MM A15E	1P	01 - 015	Y3947	R116 Ed 8 Rev 4	CONFORMING	26/05/2022		
AC		20MM AR450	N/A	01 - 013	Y3750	R116 Ed 8 Rev 4	CONFORMING	15/06/2021		
AC		28MM AR450	N/A	01 - 017	Y3958	R116 Ed 8 Rev 4	PENDING	11/08/2022	Awaiting T640 and DCV	
OG		10MM A15E	N/A	01 - 005	Y3492	R116 Ed 8 Rev 4	CONFORMING	25/11/2020		
OG	10MM Glass	N/A	01 - 005	Y3429	R119 Ed 1 Rev 2	CONFORMING	16/11/2020			

Supplier & Plant Name/Location	Mix Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Tomago (Hunter)	OG 10MM A15E	N/A	01 - 005	Y3429	R119 Ed 1 Rev 2	CONFORMING	16/11/2020	
	RUB 14MM AR450 BER	N/A	01 - 041	Y3973	R118 Ed 1 Rev 1	PENDING	02/06/2022	Awaiting DCv and Modulus
	RUB 14MM AR450 BER	N/A	01 - 010	Y3749	R119 Ed 1 Rev 2	CONFORMING	08/09/2021	
	RUB 14MM AR450 BER	N/A	01 - 016	Y3832	R118 Ed 1 Rev 1	CONFORMING	31/01/2022	
<u>Fishers Asphalt</u>								
Kempsey (Northern)	AC 10MM AR450	N/A	LB800-AP1	Y3631	R116 Ed 8 Rev 4	CONFORMING	18/02/2021	
	AC 10MM A15E	N/A	LB80022	Y3639	R116 Ed 8 Rev 4	CONFORMING	18/02/2021	
	AC 14MM AR450	N/A	LB800-AP1	Y3720	R116 Ed 8 Rev 4	PENDING	26/07/2021	Awaiting T640, DCV, CMA, MBV, Mod
	AC 14MM AR450	N/A	LB80031	Y3190	R116 Ed 8 Rev 4	CONFORMING	26/07/2021	
	AC 14MM A15E	N/A	LB80032	Y3756	R116 Ed 8 Rev 4	CONFORMING	26/07/2021	
	AC 20MM A15E	N/A	LB80042	Y3640	R116 Ed 8 Rev 4	CONFORMING	01/11/2020	
	AC 20MM AR450	N/A	LB80041	Y3632	R116 Ed 8 Rev 4	CONFORMING	01/11/2020	
<u>Fulton Hogan Industries P/L</u>								
Alexandria	AC 10MM AR450	N/A	4001.AP4173.4	Y3895	R116 Ed 8 Rev 4	CONFORMING	09/05/2022	
	AC 7MM AR450	N/A	4001.AP4117.1	Y3898	R116 Ed 8 Rev 4	CONFORMING	09/05/2022	
Bushells Ridge	AC 10MM AR450	N/A	4012.AP4173.2	Y3737	R116 Ed 8 Rev 4	CONFORMING	22/08/2021	
	AC 14MM A15E	N/A	4012.AP4243.1	Y3740	R116 Ed 8 Rev 4	CONFORMING	12/08/2021	
	AC 14MM AR450	N/A	4012.AP4241.1	Y3657	R116 Ed 8 Rev 4	CONFORMING	20/05/2021	
	AC 14MM AR450	N/A	4012.AP4241.2	Y3738	R116 Ed 8 Rev 4	CONFORMING	22/08/2021	
	AC 14MM A15E	N/A	4012 - AP4241.1	Y3663	R116 Ed 8 Rev 4	CONFORMING	20/05/2021	
	AC 20MM AR450	N/A	4012.AP4311.1	Y3656	R116 Ed 8 Rev 4	CONFORMING	20/05/2021	
	AC 20MM AR450	N/A	4012.AP4311.2	Y3739	R116 Ed 8 Rev 4	CONFORMING	21/08/2021	
	OG 10MM A15E	N/A	4012 - AP4466.1	Y3812	R119 Ed 1 Rev 2	CONFORMING	01/01/2022	
Eastern Creek	AC 10MM AR450	1W	4013 - AP4173.3	Y3721	R116 Ed 8 Rev 4	CONFORMING	05/07/2021	
	AC 10MM AR450	1W	4013 - AP4173.1	Y3722	R116 Ed 8 Rev 4	CONFORMING	05/07/2021	
	AC 14MM A15E	1	4013 - AP4236.1	Y3731	R116 Ed 8 Rev 4	CONFORMING	19/07/2021	

Supplier & Plant Name/Location	Mix	Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Eastern Creek	AC	14MM A35P	1	4013.AP4239.1	Y3833	R116 Ed 8 Rev 4	CONFORMING	19/07/2021	
	AC	14MM AR450	2W	4013.AP4241.2	Y3975	R116 Ed 8 Rev 4	CONFORMING	11/08/2022	
	AC	14MM AR450	1W	4013 - AP4241.1	Y3689	R116 Ed 8 Rev 4	CONFORMING	30/06/2021	
	AC	14MM A15E	N/A	4013 - AP4244.1	Y3788	R116 Ed 8 Rev 4	CONFORMING	16/11/2021	Contains slag aggregate
	AC	20MM AR450	N/A	4013 - AP4311.1	Y3690	R116 Ed 8 Rev 4	CONFORMING	30/06/2021	
	AC	20MM A35P	1	4013.AP4309.1	Y3830	R116 Ed 8 Rev 4	CONFORMING	21/01/2022	
	AC	20MM AR450	1	4013 - AP4311.2	Y3726	R116 Ed 8 Rev 4	CONFORMING	08/08/2021	
	AC	20MM Glass	1	4013.AP4311.4	Y3826	R116 Ed 8 Rev 4	CONFORMING	21/01/2022	
	AC	20MM Glass	1	4013.AP4311.4	Y3826	R116 Ed 8 Rev 4	CONFORMING	21/01/2022	
	AC	20MM AR450	2	4013 - AP4311.3	Y3730	R116 Ed 8 Rev 4	CONFORMING	30/06/2021	
	AC	20MM AR450	1	4013.AP4311.4	Y3831	R116 Ed 8 Rev 4	CONFORMING	21/01/2022	
	AC	28MM AR450	1	4013 - AP4341.1	Y3770	R116 Ed 8 Rev 4	CONFORMING	09/10/2021	
	AC	7MM AR450	N/A	4013 - AP4117.1	Y3725	R116 Ed 8 Rev 4	CONFORMING	13/07/2021	
	AC	7MM AR450	N/A	4013 - AP4117.2	Y3724	R116 Ed 8 Rev 4	CONFORMING	13/07/2021	
	OG	10MM A15E	N/A	4013.AP4466.1	Y3755	R119 Ed 1 Rev 2	CONFORMING	20/08/2021	
Kembla Grange	AC	10MM AR450	1	4007.AP4173.4	Y3752	R116 Ed 8 Rev 4	CONFORMING	15/07/2021	
	AC	10MM A15E	1	4007.AP4192.2	Y3753	R116 Ed 8 Rev 4	CONFORMING	30/08/2021	
	AC	10MM AR450	1	4007.AP4173.5	Y3954	R116 Ed 8 Rev 4	CONFORMING	04/05/2022	
	AC	14MM AR450	1	4007.AP4230.1	Y3955	R116 Ed 8 Rev 4	CONFORMING	20/07/2022	
	AC	14MM A15E	1	4007.AP4236.3	Y3751	R116 Ed 8 Rev 4	CONFORMING	08/05/2021	
	AC	14MM A15E	1	4007.AP4236.4	Y3914	R116 Ed 8 Rev 4	CONFORMING	30/05/2022	
	AC	14MM AR450	1	4007.AP4241.7	Y3937	R116 Ed 8 Rev 4	CONFORMING	15/06/2022	
	AC	14MM AR450	1	4007.AP4231.1	Y3952	R116 Ed 8 Rev 4	CONFORMING	20/07/2022	
	AC	14MM AR450	1	4007.AP4230.1	Y3953	R116 Ed 8 Rev 4	CONFORMING	20/07/2022	
	AC	20MM AR450	2	4000 AP4311.12	Y3468	R116 Ed 8 Rev 4	CONFORMING	04/01/2021	
	AC	20MM AR450	2	4007.AP4311.9	Y3956	R116 Ed 8 Rev 4	CONFORMING	19/07/2022	
	AC	28MM AR450	1	4013.AP4342.1	Y3957	R116 Ed 8 Rev 4	CONFORMING	27/07/2022	
	OG	10MM A15E	N/A	4007.AP4466.2	Y3747	R119 Ed 1 Rev 2	CONFORMING	28/04/2021	

Supplier & Plant Name/Location	Mix Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Kembla Grange	RUB 14MM AR450 BER	N/A	4007 - AP4242.1	Y3746	R118 Ed 1 Rev 1	CONFORMING	29/08/2021	
	SMA 10MM A15E	N/A	4007.AP4572.5	Y3897	R121 Ed 3 Rev 2	CONFORMING	22/05/2022	
	SMA 14MM A15E	N/A	4007.AP4602.2	Y3821	R121 Ed 3 Rev 2	CONFORMING	26/07/2021	
Minto	AC 14MM A15E	N/A	4010 - AP4236.11	Y3767	R116 Ed 8 Rev 4	CONFORMING	09/10/2021	
	AC 20MM AR450	1	4010 - AP4311.8	Y3693	R116 Ed 8 Rev 4	CONFORMING	14/06/2021	
Rutherford	AC 10MM AR450	N/A	4005 - AP4173.4	Y3488	R116 Ed 8 Rev 4	CONFORMING	15/10/2020	
	AC 14MM AR450	N/A	4005 - AP4242.6	Y3413	R116 Ed 8 Rev 4	CONFORMING	15/10/2020	
	AC 14MM AR450	N/A	4005 - AP4241.7	Y3668	R116 Ed 8 Rev 4	CONFORMING	07/04/2021	
	AC 20MM AR450	N/A	4000 - AP4311.4	Y3406	R116 Ed 8 Rev 4	CONFORMING	20/10/2020	
Tamworth	AC 14MM A15E	N/A	4006 - AP4236.3	Y3813	R116 Ed 8 Rev 4	CONFORMING	21/10/2021	
	AC 14MM AR450	N/A	4006 - AP4241.4	Y3814	R116 Ed 8 Rev 4	CONFORMING	15/11/2021	
	AC 20MM AR450	N/A	4006.AP4311.6	Y3845	R116 Ed 8 Rev 4	CONFORMING	10/11/2021	
Wagga Wagga	AC 14MM AR450	N/A	4009 - AP4241.5	Y3876	R116 Ed 8 Rev 4	CONFORMING	06/04/2022	
	AC 14MM A15E	N/A	4009 - AP4236.3	Y3480	R116 Ed 8 Rev 4	CONFORMING	21/10/2020	
	AC 14MM A15E	N/A	4009 - AP4236.4	Y3877	R116 Ed 8 Rev 4	CONFORMING	11/11/2021	
	AC 20MM AR450	N/A	4009.AP4311.7	Y3884	R116 Ed 8 Rev 4	CONFORMING	07/04/2022	
	SMA 10MM A15E	N/A	4009 - AP4572.2	Y3458	R121 Ed 3 Rev 2	CONFORMING	01/10/2020	
Wallgrove	AC 14MM A15E		4000.AP4231.7	Y3617	Not Available	CONFORMING	09/02/2021	
	AC 14MM AR450	2W	4000 - AP4241.5	Y3503	R116 Ed 8 Rev 4	CONFORMING	08/10/2020	
	AC 20MM AR450	1	4000 - AP4311.8	Y3667	R116 Ed 8 Rev 4	CONFORMING	07/06/2021	
	AC 20MM AR450	N/A	4000 - AP4311.10	Y3460	R116 Ed 8 Rev 4	CONFORMING	28/10/2020	

Hawksbury Eco Asphalt

Windsor	AC 14MM AR450	N/A	HEAAP1 - 275621	Y3863	R116 Ed 8 Rev 4	CONFORMING	05/05/2022	Need to follow up site inspections
	AC 14MM A15E	N/A	HEAAP1 - 275627	Y3927	R116 Ed 8 Rev 4	CONFORMING	19/06/2022	Need to follow up site inspections
	AC 20MM AR450	1	HEAAP1 - 275632	Y3930	R116 Ed 8 Rev 4	CONFORMING	09/05/2022	
	AC 20MM AR450	N/A	HEAAP1 - 275622	Y3890	R116 Ed 8 Rev 4	CONFORMING	09/05/2022	
	AC 20MM A15E	N/A	HEAAP1 - 275628	Y3928	R116 Ed 8 Rev 4	CONFORMING	19/06/2022	

Supplier & Plant Name/Location	Mix Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
<u>Pacific Blue Metal</u>								
Possum Brush	AC 10MM AR450	N/A	01 - AC10HD	Y3476	R116 Ed 8 Rev 4	CONFORMING	01/12/2020	
	AC 14MM AR450	N/A	01 - AC14 HD	Y3453	R116 Ed 8 Rev 4	CONFORMING	01/12/2020	
	AC 20MM AR450	N/A	01 - AC20HD	Y3477	R116 Ed 8 Rev 4	CONFORMING	01/12/2020	
<u>Roadworx</u>								
Kembla Grange	AC 10MM AR450	N/A	BD-HD10-00	Y3856	R116 Ed 8 Rev 4	CONFORMING	07/03/2022	
	AC 10MM AR450	N/A	CA-HD10-00	Y3855	R116 Ed 8 Rev 4	CONFORMING	07/03/2022	
	AC 14MM AR450	N/A	AC14HDR116AR450	Y3786	R116 Ed 8 Rev 4	CONFORMING	13/10/2021	
	AC 20MM AR450	N/A	01 - CA-HD20-00	Y3899	R116 Ed 8 Rev 4	CONFORMING	02/03/2022	
	AC 20MM AR450	N/A	CA-HD20-00	Y3885	R116 Ed 8 Rev 4	CONFORMING	02/03/2022	
	OG 10MM A15E	N/A	01 - OG10	Y3811	R119 Ed 1 Rev 2	CONFORMING	07/12/2021	
	SMA 10MM A15E	N/A	01 - SMA10	Y3505	R121 Ed 3 Rev 2	CONFORMING	14/10/2020	
	SMA 14MM A15E	N/A	01 - SMA14	Y3816	R121 Ed 3 Rev 2	CONFORMING	22/11/2021	
<u>RPQ Asphalt Pty Ltd</u>								
Lismore	AC 10MM AR450	N/A	AC10H-19-1008C45	Y3660	R116 Ed 8 Rev 4	CONFORMING	12/05/2021	
	AC 14MM AR450	N/A	01-AC14H-19-1004C450	Y3659	R116 Ed 8 Rev 4	CONFORMING	20/04/2021	
	AC 14MM A15E	N/A	AC14H-19-1006A15E	Y3662	R116 Ed 8 Rev 4	CONFORMING	21/05/2021	
	AC 20MM AR450	N/A	AC20H-19-1005C450	Y3661	R116 Ed 8 Rev 4	CONFORMING	20/04/2021	
<u>State Asphalt Services</u>								
Kulnura	AC 10MM AR450	N/A	06 - 181115	Y3672	R116 Ed 8 Rev 4	SUBMITTED	21/10/2020	Approved with rhyolite aggregate
	AC 14MM A15E	N/A	06 - 181004SA	Y3665	R116 Ed 8 Rev 4	CONFORMING	27/05/2021	contains Sasobit Warm Mix Additive
	RUB 14MM AR450 BER	N/A	06 - 0809CR	Y3733	R118 Ed 1 Rev 1	CONFORMING	01/08/2021	
	SMA 10MM A15E	N/A	06 - 180928SA	Y3666	R121 Ed 3 Rev 2	CONFORMING	27/05/2021	Warm-mix additive Sasobit
Nowra	AC 10MM AR450	N/A	04 - 020	Y3963	R116 Ed 8 Rev 4	CONFORMING	14/06/2022	
	AC 10MM Glass	N/A	04 - 020	Y3963	R116 Ed 8 Rev 4	CONFORMING	14/06/2022	
	AC 10MM AR450	1W	04 - 204510	Y3961	R116 Ed 8 Rev 4	CONFORMING	14/06/2022	

Supplier & Plant Name/Location	Mix Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Nowra	AC 14MM AR450 1W	04 - 204514	Y3916	R116 Ed 8 Rev 4	CONFORMING	30/03/2022		
	AC 20MM AR450 N/A	04 - 022	Y3918	R116 Ed 8 Rev 4	CONFORMING	22/03/2022		
	AC 20MM AR450 1	04 - 204520	Y3917	R116 Ed 8 Rev 4	CONFORMING	22/03/2022		
	AC 28MM AR450 1	04 - 204528	Y3965	R116 Ed 8 Rev 4	CONFORMING	28/06/2022		
Prestons	AC 10MM AR450 N/A	01 - 204510_0	Y3962	R116 Ed 8 Rev 4	CONFORMING	14/06/2022		
	AC 10MM A35P 1P	01 - 203510	Y3837	R116 Ed 8 Rev 4	CONFORMING	13/01/2022		
	AC 10MM AR450	01 - 09111	Y2983	Not Available	CONFORMING	03/01/2021		
	AC 10MM A15E 1PW	01 - 09815	Y3933	R116 Ed 8 Rev 4	CONFORMING	18/05/2022		
	AC 14MM A15E N/A	01 - 09168SA	Y3671	R116 Ed 8 Rev 4	CONFORMING	13/06/2021	Slag Aggregate, approved with WMA sasobit	
	AC 14MM A10E 1PW	01 - 09096	Y3922	R116 Ed 8 Rev 4	CONFORMING	20/03/2022		
	AC 14MM A35P 1W	01 - 190212	Y3551	R116 Ed 8 Rev 4	CONFORMING	03/01/2021		
	AC 14MM A35P 1P	01 - 203514	Y3868	R116 Ed 8 Rev 4	CONFORMING	13/01/2022		
	AC 14MM AR450 1W	01 - 204514SA	Y3969	R116 Ed 8 Rev 4	CONFORMING	18/04/2022	Contains sasobit warm-mix additive	
	AC 14MM A15E	01 - 09168	Y3839	Not Available	CONFORMING	25/01/2022	Slag Aggregate	
	AC 14MM AR450 1W	01 - 9112	Y3485	R116 Ed 8 Rev 4	CONFORMING	13/01/2021		
	AC 14MM AR450 1	01 - 09112SA	Y3964	R116 Ed 8 Rev 4	CONFORMING	09/03/2022	Contains sasobit warm-mix additive	
	AC 14MM A15E 1PW	01 - 09099_S	Y3459	R116 Ed 8 Rev 4	CONFORMING	28/04/2021	contains Sasobit Warm Mix Additive	
	AC 14MM A15E 1PW	01 - 09099	Y3131	R116 Ed 8 Rev 4	CONFORMING	28/04/2021		
	AC 14MM A15E N/A	01 - 201514	Y3842	R116 Ed 8 Rev 4	CONFORMING	25/01/2022		
	AC 14MM AR450 1W	01 - 204514	Y3874	R116 Ed 8 Rev 4	CONFORMING	20/01/2022		
	AC 14MM AR450 1W	01 - 09112	Y3875	R116 Ed 8 Rev 4	CONFORMING	20/01/2022		
	AC 14MM AR450 N/A	01 - 181	Y3960	R116 Ed 8 Rev 4	CONFORMING	26/05/2022		
	AC 20MM AR450 1	01 - 09113SA	Y3870	Not Available	CONFORMING	09/03/2022	Contains sasobit as a warm-mix additive	
	AC 20MM AR450 3	01 - 09113_30	Y3802	R116 Ed 8 Rev 4	CONDITIONAL	02/09/2021	Ongoing monitoring subject to requirements of RMS R116 for high RAP content asphalt mixes.	
AC 20MM AR450 1	01 - 204520	Y3873	R116 Ed 8 Rev 4	CONFORMING	24/01/2022			
AC 20MM AR450 1	01 - 204520SA	Y3966	R116 Ed 8 Rev 4	CONFORMING	25/03/2022	Contains sasobit warm-mix additive		
AC 20MM A35P 1	01 - 191302	Y3441	R116 Ed 8 Rev 4	CONFORMING	10/01/2021			

Supplier & Plant Name/Location	Mix Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
Prestons	AC 20MM AR450		01 - 09113E	Y3871	Not Available	CONFORMING	09/03/2022	Contains evotherm as a warm-mix additive
	AC 20MM AR450	1	01 - 09113	Y3869	R116 Ed 8 Rev 4	CONFORMING	24/01/2022	
	AC 20MM A35P	1P	01 - 191302P	Y3744	R116 Ed 8 Rev 4	CONFORMING	28/07/2021	
	AC 20MM AR450	2	09113_25	Y3787	R116 Ed 8 Rev 4	CONFORMING	02/09/2021	
	AC 28MM AR450		01-09114-SA	Y3462	Not Available	CONFORMING	18/03/2021	Mix approved with the use of 1.5 % sasobit WMA
	AC 28MM AR450		01 - 09114	Y3872	Not Available	CONFORMING	20/02/2022	
	AC 28MM AR450	1	01 -204528	Y3448	R116 Ed 8 Rev 4	CONFORMING	20/02/2022	
	AC 7MM AR450	N/A	01 - 110	Y3838	Not Available	CONFORMING	27/01/2022	
	AC 7MM AR450	N/A	01 - 204507	Y3841	Not Available	CONFORMING	27/01/2022	
	OG 10MM A15E	N/A	01 - 09067	Y3920	R119 Ed 1 Rev 2	CONFORMING	27/03/2022	
	OG 10MM A15E	N/A	01 - 201015	Y3931	R119 Ed 1 Rev 2	CONFORMING	27/03/2022	
	RUB 10MM AR450 BER	N/A	01 - 20CR10	Y3836	R118 Ed 1 Rev 1	CONFORMING	12/01/2022	
	RUB 14MM AR450 BER	N/A	01 - 0809CR	Y3728	R118 Ed 1 Rev 1	CONFORMING	25/07/2021	
	RUB 14MM AR450 BER	N/A	01 - 0809CRS	Y3729	R118 Ed 1 Rev 1	CONFORMING	21/07/2021	
	SMA 10MM Glass	N/A	01 - 018057	Y3934	R116 Ed 8 Rev 4	CONFORMING	18/05/2022	
	SMA 10MM A15E	N/A	01 - 018057	Y3934	R116 Ed 8 Rev 4	CONFORMING	18/05/2022	
	St Marys	AC 10MM AR450	N/A	02 - 100919	Y3766	R116 Ed 8 Rev 4	CONFORMING	12/07/2021
AC 10MM A15E		1PW	02 - 160810	Y3723	R116 Ed 8 Rev 4	CONFORMING	13/07/2021	
AC 10MM AR450		1W	02 - 010810	Y3695	R116 Ed 8 Rev 4	CONFORMING	08/07/2021	
AC 10MM AR450		N/A	02 - 082020	Y3548	R116 Ed 8 Rev 4	CONFORMING	09/10/2020	
AC 10MM AR450		N/A	02 - 082020	Y3494	R116 Ed 8 Rev 4	CONFORMING	09/10/2020	
AC 14MM AR450		N/A	02 - 204514G	Y3923	R116 Ed 8 Rev 4	CONFORMING	27/12/2021	contains 2.5 % crushed glass sand
AC 14MM A15E		1PW	02 - 181105	Y3537	R116 Ed 8 Rev 4	CONFORMING	18/10/2020	
AC 14MM A15E		N/A	02 - 201514G_E	Y3971	R116 Ed 8 Rev 4	CONFORMING	04/05/2022	contains 2.5 % crushed glass sand, contains evotherm warm-mix additive
AC 14MM A15E		N/A	02 -201514G	Y3924	R116 Ed 8 Rev 4	CONFORMING	20/02/2022	contains 2.5 % crushed glass sand
AC 14MM AR450		N/A	02 - 140919	Y3743	R116 Ed 8 Rev 4	CONFORMING	14/07/2021	
AC 14MM A15E	1PW	02 - 201415GM	Y3932	R116 Ed 8 Rev 4	CONFORMING	17/03/2022		

Supplier & Plant Name/Location	Mix Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
St Marys	AC 14MM AR450	1	02 - 010814	Y3696	R116 Ed 8 Rev 4	CONFORMING	16/06/2021	
	AC 14MM A15E	N/A	02 - 190315	Y3621	R116 Ed 8 Rev 4	CONFORMING	02/03/2021	Slag Aggregates
	AC 14MM A15E	1PW	02 - 181105	Y3437	R116 Ed 8 Rev 4	CONFORMING	18/10/2020	
	AC 14MM A15E	N/A	02 - 201514G_SA	Y3970	R116 Ed 8 Rev 4	CONFORMING	04/05/2022	contains 2.5 % crushed glass sand, sasobit warm-mix additive
	AC 14MM A15E	1	02 - 181105	Y3428	R116 Ed 8 Rev 4	CONFORMING	18/10/2020	
	AC 14MM A15E	1PW	02 - 201415GM_SA	Y3967	R116 Ed 8 Rev 4	CONFORMING	20/07/2022	Contains sasobit warm-mix additve
	AC 14MM Glass	N/A	02 - 193022	Y3619	R116 Ed 8 Rev 4	CONFORMING	02/03/2021	Slag aggregates
	AC 20MM AR450	1	02 - 010820	Y3727	Not Available	CONFORMING	05/08/2021	
	AC 20MM AR450	2	02 - 010820_25	Y3919	R116 Ed 8 Rev 4	CONFORMING	11/03/2022	
	AC 20MM AR450	N/A	02 - 091620G	Y3847	Not Available	CONFORMING	23/08/2021	Contains recycled crushed glass sand (10 % by mass)
	AC 20MM AR450	N/A	02 - 091620G	Y3959	R116 Ed 8 Rev 4	CONFORMING	23/08/2021	
	AC 28MM AR450	1	02 - 181106	Y3452	R116 Ed 8 Rev 4	CONFORMING	18/10/2020	
	AC 28MM AR450	1	02 - 181106	Y3479	R116 Ed 8 Rev 4	CONFORMING	18/10/2020	
	AC 7MM AR450	N/A	02 - 181107	Y3502	R116 Ed 8 Rev 4	CONFORMING	18/10/2020	
	OG 10MM A15E	N/A	02 - 19126	Y3835	R119 Ed 1 Rev 2	CONFORMING	29/11/2021	
	OG 10MM A15E	N/A	02 - 19126	Y3806	R119 Ed 1 Rev 2	CONFORMING	29/11/2021	
	OG 10MM A15E	N/A	02 - 19126SA	Y3968	R119 Ed 1 Rev 2	CONFORMING	03/07/2022	Contains sasobit warm-mix additive
	RUB 14MM AR450 BER	N/A	02 - 019CRG	Y3754	R118 Ed 1 Rev 1	CONFORMING	23/08/2021	
SMA 10MM A15E	N/A	02 - 018057	Y3550	R121 Ed 3 Rev 2	CONFORMING	04/01/2021	o	

Tropic Asphalts

Tomago	AC 14MM AR450	N/A	01 - 455	Y3580	R116 Ed 8 Rev 4	CONFORMING	06/10/2020	
	AC 14MM A10E	N/A	01 - 560	Y3474	R116 Ed 8 Rev 4	CONFORMING	06/10/2020	
	AC 14MM A15E	N/A	01 - 447	Y3486	R116 Ed 8 Rev 4	CONFORMING	06/10/2020	
	AC 14MM AR450	N/A	01 - 444	Y3525	R116 Ed 8 Rev 4	CONFORMING	06/10/2020	

Supplier & Plant Name/Location	Mix Description	RAP Level	Supplier Mix Identifier	TfNSW Mix ID	Governing Spec.	Status	Valid To	Additional Notes
--------------------------------	-----------------	-----------	-------------------------	--------------	-----------------	--------	----------	------------------

The submitted constituent materials, asphalt production tolerances and plant production trial results, have been assessed against conformance criteria of TfNSW Specification R116 Edition 8 Revision 4 and Panel Contract 18.0000302746.0358.

STATUS SUMMARY:

- APPROVED: The Mix Submission satisfies all submission criteria, and recommend Release of Hold Point for the nominated mix.
- SUBMITTED: The Mix Submission has been received by TfNSW Yennora and is awaiting further processing in AQS.
- PENDING: The Mix Submission has been processed into AQS and is awaiting additional information or confirmation of data from the Asphalt Producer.
- CONDITIONAL: The Mix Submission has been approved subject to certain conditions.
- FAILED: The Mix Submission has failed the quality requirements for the Panel Contract.