| | | | HM in water - Dissolved | | | | | | | | | | HM in water - Total | | | Ion Balance | | | | | | | | | | | Miscellaneous Inorg - Water | | | | | | | | | PAHs in Water | | | | | | | | | | | | | | | | | TRH Water(C10-C40) NEPM | | | | | | | vTRH & BTEXN in Water NEPM | | | | | | | | |
|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|---|
| Field_ID | Lab Report No. | Sampled_Date | Arsenic (Filtered) | Cadmium (Filtered) | Chromium (III+VI) (Filtered) | Copper (Filtered) | Iron (Filtered) | Lead (Filtered) | Manganese (Filtered) | Mercury (Filtered) | Nickel (Filtered) | Zinc (Filtered) | Alluminium | Iron | Manganese | Alkalinity (total) | Bicarbonate as CaCO3 | Calcium (Filtered) | Carbonate as CaCO3 | Chloride | Hydroxide | Ionic Balance | Magnesium (Filtered) | Potassium (Filtered) | Sodium (Filtered) | Sulphate | Ammonia | Electrical conductivity *(lab) | Total Nitrogen | Nitrate (as N) | Nitrite (as N) | Phosphate (as P) | pH (Lab) | Phosphorus | TDS | Acenaphthene | Acenaphthylene | Anthracene | Benz(a)anthracene | Benzo(a) pyrene | Benzo(b)&(k)fluoranthene | Benzo(g,h,i)perylene | Chrysene | Dibenz(a,h)anthracene | Carcinogenic PAHs (as B(a)P TPE) | Fluoranthene | Fluorene | Indeno(1,2,3-c,d)pyrene | Naphthalene | PAHs (Sum of total) | Phenanthrene | Pyrene | C10-C16 | C16-C34 | C34-C40 | F2-NAPHTHALENE | C10 - C14 | C15 - C28 | C29-C36 | Benzene | Ethylbenzene | Naphthalene | Toluene | C6 - C9 | Xylene (m & p) | Xylene (o) | C6-C10 less BTEX (F1) | C6-C10 |
| | | | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | mg/L | % | mg/L | mg/L | mg/L | mg/L | mg/L | µS/cm | mg/L | mg/L | mg/L | mg/L | pH_Units | mg/L | mg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | mg/L | mg/L | mg/L | mg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | µg/L | mg/L | mg/L |
| | | EQL | 0.001 | 0.0001 | 0.001 | 0.001 | 0.01 | 0.001 | 0.005 | 0.00005 | 0.001 | 0.001 | | 0.01 | 0.005 | 5 | 5 | 0.5 | 5 | 1 | 5 | | 0.5 | 0.5 | 0.5 | 1 | 0.005 | 1 | | 0.005 | 0.005 | 0.005 | | 0.05 | 5 | 1 | 1 | 1 | 1 | 1 | 2 | 1 | 1 | 1 | 5 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 0.05 | 0.1 | 0.1 | 0.05 | 50 | 100 | 100 | 1 | 1 | 1 | 1 | 10 | 2 | 1 | 0.010 | 0.010 |
| GW1 - Adopted Groundwater Trigger Values (Table 5.2) Water Management Plan | | | 0.002 | 0.0011 | 0.003 | 0.039 | 1.5 | 0.019 | 0.059 | 0.00005 | 0.028 | 0.21 | | | | | | | | | | | | | | | 0.13 | 920 | | 0.16 | 0.005 | 0.005 | 4.4-5.8 | | | | | | | | | | | | | | | | | | | | 0.56 | 0.26 | 0.1 | 0.56 | | | | 1 | 1 | | 1 | 10 | 2 | 1 | 0.010 | 0.010 |
| GW1 | 176578 | 26/09/2017 | <0.001 | 0.0003 | 0.003 | 0.013 | 0.039 | 0.015 | 0.02 | <0.00005 | 0.016 | 0.18 | 12 | 13 | 0.033 | <5 | <5 | 2 | <5 | 250 | <5 | 0 | 14 | 0.8 | 150 | 34 | 0.024 | 910 | 0.5 | 0.01 | <0.005 | <0.005 | 4.3 | 0.08 | 460 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW1 | 178467(-A) | 24/10/2017 | <0.001 | 0.0003 | 0.003 | 0.018 | 0.23 | 0.012 | 0.027 | <0.00005 | 0.017 | 0.16 | 32 | 29 | 0.07 | <5 | <5 | 2.1 | <5 | 250 | <5 | 0 | 15 | 0.6 | 150 | 43 | <0.005 | 930 | 5.8 | 0.02 | <0.005 | <0.005 | 4.3 | 0.3 | 560 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW1 | 179898 | 14/11/2017 | <0.001 | 0.0006 | 0.002 | 0.023 | 1.7 | 0.012 | 0.053 | <0.00005 | 0.016 | 0.15 | 20 | 14 | 0.047 | <5 | <5 | 2.4 | <5 | 250 | <5 | 11 | 15 | 0.7 | 190 | 39 | <0.005 | 880 | 0.2 | 0.01 | <0.005 | – | 4.3 | 0.2 | 540 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW1 | 181992 | 12/12/2017 | <0.001 | 0.0004 | 0.002 | 0.014 | 0.13 | 0.027 | 0.021 | <0.00005 | 0.025 | 0.22 | 4.3 | 2.2 | 0.021 | <5 | <5 | 1.6 | <5 | 250 | <5 | 9 | 15 | 0.7 | 190 | 40 | <0.005 | 920 | 0.2 | 0.01 | <0.005 | <0.005 | 4.2 | <0.05 | 490 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW1 | 184199-(R01) | 30/01/2018 | 0.001 | 0.0012 | 0.003 | 0.031 | 0.97 | 0.016 | 0.072 | <0.00005 | 0.025 | 0.20 | 13 | 20 | 0.063 | <5 | <5 | 2.4 | <5 | 250 | <5 | -3 | 15 | 0.7 | 140 | 49 | <0.005 | 900 | 0.4 | 0.01 | <0.005 | 0.066 | 4.3 | 0.2 | 460 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW1 | 185693 | 20/02/2018 | <0.001 | 0.0003 | 0.002 | 0.014 | 0.24 | 0.020 | 0.018 | <0.00005 | 0.016 | 0.16 | 5.2 | 5 | 0.025 | <5 | <5 | 1.7 | <5 | 230 | <5 | 18 | 16 | 0.7 | 200 | 27 | <0.005 | 830 | 0.3 | 0.01 | <0.005 | 0.065 | 4.2 | 0.06 | 490 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW1 | 187224 | 13/03/2018 | <0.001 | 0.0003 | 0.002 | 0.013 | 0.12 | 0.023 | 0.018 | <0.00005 | 0.020 | 0.20 | 5.6 | 4.4 | 0.027 | <5 | <5 | 1.3 | <5 | 240 | <5 | -4 | 13 | 0.7 | 130 | 29 | <0.005 | 870 | 0.2 | 0.02 | <0.005 | 0.056 | 4.1 | <0.05 | 480 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW1 | 190212 | 23/04/2018 | <0.001 | 0.0005 | 0.002 | 0.015 | 0.18 | 0.009 | 0.058 | <0.00005 | 0.018 | 0.19 | 7.5 | 7.4 | 0.042 | <5 | <5 | 1.7 | <5 | 210 | <5 | 17 | 14 | 0.7 | 180 | 26 | <0.005 | 950 | 0.3 | 0.02 | <0.005 | 0.054 | 4.3 | 0.06 | 510 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW2a - Adopted Groundwater Trigger Values (Table 5.2) Water Management Plan[#] | | | 0.005 | 0.0001 | 0.001 | 0.002 | 110 | 0.001 | 4.3 | 0.00006 | 0.066 | 0.18 | | | | | | | | | | | | | | | 0.21 | 3600 | | 0.15 | 0.007 | 0.036 | 4.6-7.1 | | | | | | | | | | | | | | | | | | | | 0.34 | 0.98 | 0.34 | 0.34 | | | | 1 | 1 | | 1 | 21 | 2 | 1 | 0.010 | 0.010 |
| GW2a | 176578 | 26/09/2017 | <0.001 | 0.0004 | <0.001 | <0.001 | 55 | <0.001 | 4.4 | <0.00005 | 0.07 | 0.25 | 8.7 | 230 | 5.4 | 12 | 12 | 14 | <5 | 870 | <5 | -6 | 68 | 3.9 | 380 | 58 | 0.045 | 2800 | 1.4 | <0.005 | <0.005 | <0.005 | 5.4 | 0.2 | 1400 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW2a | 178467(-A) | 24/10/2017 | <0.001 | 0.0005 | <0.001 | 0.007 | 60 | 0.002 | 3.3 | <0.00005 | 0.056 | 0.19 | 3.8 | 97 | 3.3 | 6 | 6 | 8.4 | <5 | 690 | <5 | -5 | 56 | 3.3 | 310 | 40 | 0.019 | 2300 | 0.8 | 0.007 | <0.005 | <0.005 | 4.9 | <0.05 | 1200 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW2a | 179898 | 14/11/2017 | <0.001 | 0.0002 | <0.001 | <0.001 | 88 | <0.001 | 4.1 | <0.00005 | 0.065 | 0.22 | 9.3 | 190 | 5.3 | 26 | 26 | 12 | <5 | 810 | <5 | 3 | 65 | 3.9 | 460 | 49 | 0.012 | 2500 | 0.3 | <0.005 | <0.005 | – | 5.4 | 0.2 | 1700 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW2a | 181992 | 12/12/2017 | <0.001 | 0.0003 | <0.001 | 0.013 | 42 | 0.018 | 4.1 | <0.00005 | 0.069 | 0.22 | 5.7 | 190 | 4.9 | <5 | <5 | 11 | <5 | 780 | <5 | 6 | 64 | 4.2 | 440 | 37 | 0.010 | 2500 | 0.2 | <0.005 | <0.005 | <0.005 | 3.4 | 0.2 | 1400 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW2a | 184199-(R01) | 30/01/2018 | <0.001 | 0.0004 | <0.001 | 0.003 | 44 | 0.001 | 3.9 | <0.00005 | 0.058 | 0.30 | 44 | 780 | 14 | 15 | 15 | 15 | <5 | 770 | <5 | -9 | 59 | 5.8 | 310 | 45 | 0.027 | 2500 | 1.4 | 0.009 | <0.005 | 0.33 | 5.1 | 0.6 | 1400 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW2a | 185693 | 20/02/2018 | <0.001 | 0.0003 | <0.001 | 0.009 | 68 | 0.002 | 3.7 | <0.00005 | 0.056 | 0.19 | 2 | 110 | 3.8 | <5 | <5 | 8 | <5 | 660 | <5 | 12 | 65 | 3.7 | 440 | 48 | 0.071 | 2200 | 0.2 | 0.02 | <0.005 | 0.043 | 3.9 | 0.06 | 1300 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW2a | 187224 | 13/03/2018 | <0.001 | 0.0002 | <0.001 | <0.001 | 81 | <0.001 | 3.4 | <0.00005 | 0.057 | 0.17 | 1.2 | 100 | 4.6 | 21 | 21 | 7.9 | <5 | 730 | <5 | -11 | 57 | 3.5 | 280 | 44 | 0.020 | 2300 | 0.1 | <0.005 | <0.005 | 0.041 | 5.3 | <0.05 | 1200 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW2a | 190212 | 23/04/2018 | <0.001 | 0.0002 | <0.001 | <0.001 | 65 | <0.001 | 3.6 | <0.00005 | 0.055 | 0.17 | 0.95 | 93 | 3.7 | 18 | 18 | 6.9 | <5 | 630 | <5 | 9 | 56 | 3.5 | 410 | 40 | 0.041 | 2000 | 0.3 | 0.01 | <0.005 | 0.086 | 5.2 | <0.05 | 1300 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW3 - Adopted Groundwater Trigger Values (Table 5.2) Water Management Plan | | | 0.001 | 0.0002 | 0.001 | 0.012 | 5.6 | 0.006 | 0.77 | 0.00005 | 0.023 | 0.048 | | | | | | | | | | | | | | | 0.1 | 640 | | 0.12 | 0.017 | 0.005 | 3.9-5.4 | | | | | | | | | | | | | | | | | | | | 0.11 | 0.13 | 0.1 | 0.11 | | | | 1 | 1 | | 1 | 10 | 2 | 1 | 0.010 | 0.010 |
| GW3 | 176578 | 26/09/2017 | <0.001 | <0.0001 | <0.001 | 0.006 | 0.27 | 0.005 | 0.15 | <0.00005 | 0.003 | 0.016 | 9.4 | 13 | 0.21 | <5 | <5 | 2.8 | <5 | 150 | <5 | -2 | 9.1 | 1.1 | 79 | 16 | 0.048 | 540 | 0.5 | 0.084 | <0.005 | <0.005 | 4.3 | 0.1 | 270 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW3 | 178467(-A) | 24/10/2017 | <0.001 | <0.0001 | <0.001 | 0.003 | 1.4 | 0.002 | 0.23 | <0.00005 | 0.003 | 0.015 | 3.1 | 11 | 0.26 | 6 | 6 | 2.2 | <5 | 120 | <5 | -5 | 8.4 | 1 | 62 | 17 | <0.005 | 440 | 0.2 | 0.067 | <0.005 | <0.005 | 4.6 | <0.05 | 240 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW3 | 179898 | 14/11/2017 | <0.001 | <0.0001 | <0.001 | 0.002 | 1.4 | 0.002 | 0.27 | <0.00005 | 0.004 | 0.017 | 3.3 | 4.1 | 0.29 | <5 | <5 | 2 | <5 | 110 | <5 | 0 | 7.8 | 1 | 61 | 15 | <0.005 | 380 | 0.1 | 0.04 | <0.005 | – | 4.6 | <0.05 | 240 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW3 | 181992 | 12/12/2017 | <0.001 | <0.0001 | <0.001 | 0.001 | 1.2 | <0.001 | 0.31 | <0.00005 | 0.004 | 0.014 | 3.7 | 18 | 0.34 | <5 | <5 | 2 | <5 | 99 | <5 | 4 | 8.2 | 1 | 57 | 11 | 0.005 | 380 | 0.2 | 0.03 | <0.005 | <0.005 | 5.1 | <0.05 | 220 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW3 | 184199-(R01) | 30/01/2018 | <0.001 | <0.0001 | <0.001 | <0.001 | 3.2 | <0.001 | 0.38 | <0.00005 | 0.005 | 0.016 | 4 | 11 | 0.42 | 8 | 8 | 1.7 | <5 | 78 | <5 | -4 | 7.2 | 1.1 | 37 | 9 | 0.005 | 290 | 0.2 | 0.01 | <0.005 | 0.046 | 5.1 | <0.05 | 190 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW3 | 185693 | 20/02/2018 | <0.001 | <0.0001 | <0.001 | <0.001 | 1.3 | <0.001 | 0.39 | <0.00005 | 0.004 | 0.008 | 38 | 140 | 0.55 | 20 | 20 | 6.4 | <5 | 73 | <5 | 5 | 8.2 | 1.3 | 43 | 9 | <0.005 | 290 | 0.4 | 0.03 | <0.005 | 0.036 | 5.5 | 0.2 | 180 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW3 | 187224 | 13/03/2018 | <0.001 | <0.0001 | <0.001 | <0.001 | 0.068 | <0.001 | 0.23 | <0.00005 | 0.002 | 0.004 | 19 | 140 | 0.7 | 120 | 120 | 48 | <5 | 80 | <5 | -3 | 7.7 | 1.3 | 35 | 15 | 0.005 | 430 | 0.5 | 0.008 | <0.005 | 0.051 | 6.4 | 0.4 | 320 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW3 | 190212 | 23/04/2018 | <0.001 | <0.0001 | <0.001 | <0.001 | 1.1 | <0.001 | 0.44 | <0.00005 | 0.006 | 0.02 | 2.1 | 12 | 0.41 | 9 | 9 | 2.2 | <5 | 80 | <5 | 4 | 8.2 | 1.2 | 48 | 11 | 0.012 | 340 | 0.2 | 0.03 | <0.005 | 0.036 | 5.3 | 0.05 | 220 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW4a - Adopted Groundwater Trigger Values (Table 5.2) Water Management Plan[#] | | | 0.002 | 0.0014 | 0.001 | 0.02 | 84 | 0.033 | 2.3 | 0.00005 | 0.17 | 0.89 | | | | | | | | | | | | | | | 0.34 | 6100 | | 2.7 | 0.047 | 0.048 | 3.6-6.7 | | | | | | | | | | | | | | | | | | | | 0.13 | 0.29 | 0.1 | 0.13 | | | | 1 | 1 | | 1 | 10 | 2 | 1 | 0.010 | 0.010 |
| GW4a | 176578 | 26/09/2017 | <0.001 | 0.0006 | <0.001 | 0.004 | 6.2 | <0.001 | 0.97 | <0.00005 | 0.02 | 0.091 | 2.2 | 14 | 1.1 | 51 | 51 | 7.6 | <5 | 260 | <5 | 2 | 18 | 2.1 | 220 | 130 | 0.037 | 1200 | 0.3 | <0.005 | <0.005 | <0.005 | 6.0 | <0.05 | 690 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW4a | 178467(-A) | 24/10/2017 | <0.001 | 0.0005 | <0.001 | 0.003 | 7.5 | <0.001 | 1.3 | <0.00005 | 0.025 | 0.13 | 2.4 | 21 | 1.3 | 52 | 52 | 7.6 | <5 | 320 | <5 | 2 | 22 | 2.9 | 250 | 130 | <0.005 | 1400 | 0.3 | 0.02 | <0.005 | <0.005 | 5.8 | <0.05 | 810 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW4a | 179898 | 14/11/2017 | <0.001 | 0.0006 | <0.001 | 0.005 | 13 | <0.001 | 1.8 | <0.00005 | 0.03 | 0.15 | 1.3 | 28 | 1.9 | 34 | 34 | 11 | <5 | 470 | <5 | 12 | 34 | 2.4 | 410 | 140 | <0.005 | 1800 | 0.1 | <0.005 | <0.005 | – | 5.5 | <0.05 | 1100 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW4a | 181992 | 12/12/2017 | <0.001 | 0.0008 | <0.001 | 0.006 | 16 | <0.001 | 2.0 | <0.00005 | 0.036 | 0.17 | 1.2 | 45 | 2.2 | 25 | 25 | 12 | <5 | 600 | <5 | 11 | 42 | 2.5 | 490 | 140 | <0.005 | 2200 | 0.1 | <0.005 | <0.005 | <0.005 | 5.6 | <0.05 | 1200 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW4a | 184199-(R01) | 30/01/2018 | <0.001 | 0.0007 | <0.001 | 0.011 | 19 | <0.001 | 1.1 | <0.00005 | 0.023 | 0.16 | 5.8 | 36 | 1.3 | 15 | 15 | 11 | <5 | 650 | <5 | -4 | 40 | 1.5 | 370 | 140 | <0.005 | 2300 | 0.3 | 0.008 | <0.005 | 0.18 | 5.0 | <0.05 | 1400 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW4a | 185693 | 20/02/2018 | <0.001 | 0.0004 | <0.001 | 0.002 | 31 | <0.001 | 2.1 | <0.00005 | 0.035 | 0.18 | 1.3 | 58 | 2.4 | 36 | 36 | 13 | <5 | 590 | <5 | 17 | 47 | 3 | 540 | 120 | <0.005 | 2200 | 0.1 | 0.01 | <0.005 | 0.14 | 5.6 | <0.05 | 1200 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW4a | 187224 | 13/03/2018 | <0.001 | 0.0005 | <0.001 | 0.004 | 10 | <0.001 | 1.2 | <0.00005 | 0.024 | 0.15 | 2 | 29 | 2.2 | 15 | 15 | 11 | <5 | 620 | <5 | -5 | 38 | 1.8 | 340 | 130 | <0.005 | 2200 | 0.1 | 0.01 | <0.005 | 0.17 | 5.0 | <0.05 | 1100 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW4a | 190212 | 23/04/2018 | <0.001 | 0.0005 | <0.001 | <0.001 | 17 | <0.001 | 2.1 | <0.00005 | 0.034 | 0.17 | 0.75 | 40 | 2.3 | 37 | 37 | 12 | <5 | 570 | <5 | 16 | 43 | 2.3 | 520 | 130 | <0.005 | 2100 | <0.1 | 0.01 | <0.005 | 0.10 | 5.5 | <0.05 | 1300 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW5 - Adopted Groundwater Trigger Values (Table 5.2) Water Management Plan | | | 0.002 | 0.0001 | 0.001 | 0.001 | 0.031 | 0.001 | 0.14 | 0.00005 | 0.003 | 0.051 | | | | | | | | | | | | | | | 0.86 | 530 | | 0.41 | 0.01 | 0.82 | 5.1-6.5 | | | | | | | | | | | | | | | | | | | | 0.077 | 0.1 | 0.1 | 0.077 | | | | 1 | 1 | | 1 | 10 | 2 | 1 | 0.010 | 0.010 |
| GW5 | 176578 | 26/09/2017 | <0.001 | <0.0001 | <0.001 | <0.001 | <0.01 | <0.001 | 0.006 | <0.00005 | <0.001 | 0.004 | 3.1 | 1.1 | 0.009 | 10 | 10 | 1.1 | <5 | 37 | <5 | 0 | 1.8 | 0.9 | 26 | 5 | 0.058 | 150 | 0.5 | 0.16 | <0.005 | <0.005 | 5.7 | <0.05 | 82 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW5 | 178467(-A) | 24/10/2017 | <0.001 | <0.0001 | <0.001 | <0.001 | <0.01 | <0.001 | 0.007 | <0.00005 | <0.001 | 0.004 | 4.2 | 1.7 | 0.011 | 12 | 12 | 1 | <5 | 37 | <5 | -3 | 1.5 | 0.8 | 26 | 6 | <0.005 | 160 | 0.6 | 0.16 | <0.005 | <0.005 | 5.3 | <0.05 | 110 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW5 | 179898 | 14/11/2017 | <0.001 | <0.0001 | <0.001 | <0.001 | <0.01 | <0.001 | <0.005 | <0.00005 | <0.001 | 0.002 | 4.3 | 0.69 | 0.006 | 10 | 10 | 1.1 | <5 | 38 | <5 | 1 | 2.1 | <0.5 | 28 | 7 | <0.005 | 160 | 0.2 | 0.17 | <0.005 | – | 5.1 | <0.05 | 86 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW5 | 181992 | 12/12/2017 | <0.001 | <0.0001 | <0.001 | <0.001 | <0.01 | <0.001 | <0.005 | <0.00005 | <0.001 | 0.003 | 2.2 | 1.1 | 0.007 | 6 | 6 | 0.8 | <5 | 37 | <5 | 5 | 2.1 | 0.5 | 27 | 5 | <0.005 | 160 | 0.2 | 0.16 | <0.005 | <0.005 | 5.2 | <0.05 | 65 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW5 | 184199-(R01) | 30/01/2018 | <0.001 | <0.0001 | <0.001 | <0.001 | <0.01 | <0.001 | 0.007 | <0.00005 | <0.001 | 0.005 | 4.3 | 1.4 | 0.01 | 6 | 6 | 0.8 | <5 | 37 | <5 | -1 | 1.8 | 0.7 | 24 | 6 | <0.005 | 150 | 0.3 | 0.15 | <0.005 | 0.044 | 4.8 | <0.05 | 89 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW5 | 185693 | 20/02/2018 | <0.001 | <0.0001 | <0.001 | <0.001 | <0.01 | <0.001 | 0.007 | <0.00005 | <0.001 | 0.004 | 2.9 | 1.3 | 0.012 | 14 | 14 | 1 | <5 | 36 | <5 | 1 | 1.7 | 0.8 | 28 | 5 | <0.005 | 150 | 0.3 | 0.16 | <0.005 | 0.040 | 5.2 | 0.08 | 100 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW5 | 187224 | 13/03/2018 | <0.001 | <0.0001 | <0.001 | <0.001 | <0.01 | <0.001 | 0.008 | 0.00007 | <0.001 | 0.005 | 1.3 | 0.52 | 0.011 | 16 | 16 | 1.2 | <5 | 36 | <5 | -7 | 1.2 | 0.9 | 24 | 5 | <0.005 | 150 | 0.2 | 0.14 | <0.005 | 0.035 | 5.1 | <0.05 | 78 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW5 | 190212 | 23/04/2018 | <0.001 | <0.0001 | <0.001 | <0.001 | <0.01 | <0.001 | 0.008 | <0.00005 | <0.001 | 0.004 | 2.8 | 0.46 | 0.01 | 7 | 7 | 0.9 | <5 | 33 | <5 | 6 | 1.9 | 0.7 | 26 | 6 | 0.012 | 160 | 0.2 | 0.14 | <0.005 | 0.034 | 5.0 | <0.05 | 87 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW6 - Adopted Groundwater Trigger Values (Table 5.2) Water Management Plan | | | 0.001 | 0.0001 | 0.001 | 0.002 | 0.026 | 0.001 | 0.015 | 0.00005 | 0.005 | 0.014 | | | | | | | | | | | | | | | 0.072 | 290 | | 0.49 | 0.041 | 0.006 | 3.4-6.1 | | | | | | | | | | | | | | | | | | | | 0.078 | 0.22 | 0.1 | 0.078 | | | | 1 | 1 | | 1 | 10 | 2 | 1 | 0.010 | 0.010 |
| GW6 | 176578 | 26/09/2017 | <0.001 | <0.0001 | <0.001 | <0.001 | <0.01 | <0.001 | 0.007 | <0.00005 | <0.001 | 0.001 | 2 | 0.45 | 0.008 | 9 | 9 | 2.8 | <5 | 49 | <5 | 1 | 3 | 0.6 | 29 | 4 | 0.042 | 190 | 0.6 | 0.48 | <0.005 | <0.005 | 5.7 | <0.05 | 100 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW6 | 178467(-A) | 24/10/2017 | <0.001 | <0.0001 | <0.001 | <0.001 | <0.01 | <0.001 | 0.007 | <0.00005 | <0.001 | 0.003 | 1.6 | 0.48 | 0.009 | 11 | 11 | 2.7 | <5 | 49 | <5 | -3 | 3.1 | <0.5 | 28 | 4 | <0.005 | 190 | 0.5 | 0.46 | <0.005 | <0.005 | 5.3 | <0.05 | 130 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW6 | 179898 | 14/11/2017 | <0.001 | <0.0001 | <0.001 | <0.001 | <0.01 | <0.001 | 0.009 | <0.00005 | <0.001 | 0.001 | 3.4 | 0.94 | 0.013 | 9 | 9 | 3.3 | <5 | 50 | <5 | 1 | 3.1 | <0.5 | 30 | 4 | <0.005 | 190 | 0.5 | 0.44 | <0.005 | – | 5.1 | <0.05 | 130 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW6 | 181992 | 12/12/2017 | <0.001 | <0.0001 | <0.001 | <0.001 | <0.01 | <0.001 | 0.008 | <0.00005 | <0.001 | 0.002 | 2.5 | 1.8 | 0.01 | 8 | 8 | 3 | <5 | 49 | <5 | 5 | 3.2 | <0.5 | 31 | 4 | <0.005 | 190 | 0.5 | 0.45 | <0.005 | <0.005 | 5.5 | <0.05 | 95 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW6 | 184199-(R01) | 30/01/2018 | <0.001 | <0.0001 | <0.001 | <0.001 | <0.01 | <0.001 | 0.009 | <0.00005 | <0.001 | 0.002 | 2.3 | 0.67 | 0.011 | 8 | 8 | 3.2 | <5 | 48 | <5 | -1 | 3.0 | <0.5 | 27 | 4 | <0.005 | 190 | 0.5 | 0.46 | <0.005 | 0.035 | 5.1 | <0.05 | 110 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW6 | 185693 | 20/02/2018 | <0.001 | <0.0001 | <0.001 | <0.001 | <0.01 | <0.001 | 0.007 | <0.00005 | <0.001 | 0.001 | 2.3 | 0.76 | 0.01 | 10 | 10 | 3.2 | <5 | 44 | <5 | 8 | 3.4 | <0.5 | 31 | 3 | <0.005 | 170 | 0.5 | 0.47 | <0.005 | 0.028 | 5.2 | <0.05 | 170 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW6 | 187224 | 13/03/2018 | <0.001 | <0.0001 | <0.001 | <0.001 | <0.01 | <0.001 | 0.007 | <0.00005 | <0.001 | 0.002 | 1.2 | 0.37 | 0.01 | 11 | 11 | 3.1 | <5 | 47 | <5 | -5 | 2.9 | <0.5 | 25 | 3 | <0.005 | 180 | 0.5 | 0.44 | <0.005 | 0.030 | 5.1 | <0.05 | 97 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW6 | 190212 | 23/04/2018 | <0.001 | <0.0001 | <0.001 | <0.001 | <0.01 | <0.001 | 0.008 | <0.00005 | <0.001 | 0.002 | 1.9 | 0.4 | 0.009 | 9 | 9 | 3.2 | <5 | 42 | <5 | 8 | 3.0 | <0.5 | 30 | 4 | <0.005 | 200 | 0.5 | 0.40 | <0.005 | 0.028 | 5.2 | <0.05 | 110 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | | | | | | | | | |
| GW7 - Adopted Groundwater Trigger Values (Table 5.2) Water Management Plan | | | 0.001 | 0.0001 | 0.001 | 0.002 | 0.038 | 0.001 | 0.048 | 0.00005 | 0.002 | 0.028 | | | | | | | | | | | | | | | 0.048 | 330 | | 0.089 | 0.01 | 0.006 | 4.8-6.0 | | | | | | | | | | | | | | | | | | | | 0.11 | 0.19 | 0.1 | 0.11 | | | | 39 | 1 | | 1 | 64 | 2 | 1 | 0.010 | 0.065 |
| GW7 | 176578 | 26/09/2017 | <0.001 | <0.0001 | <0.001 | <0.001 | 0.089 | <0.001 | 0.02 | <0.00005 | <0.001 | 0.011 | 9.1 | 2.6 | 0.025 | 8 | 8 | 3.4 | <5 | 48 | <5 | -2 | 2.4 | <0.5 | 28 | 6 | 0.038 | 180 | 0.5 | 0.061 | <0.005 | <0.005 | 5.6 | 0.2 | 110 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | 16 | <1 | <1 | <1 | 28 | <2 | <1 | 0.015 | 0.032 |
| GW7 | 178467(-A) | 24/10/2017 | <0.001 | <0.0001 | <0.001 | <0.001 | 0.29 | <0.001 | 0.023 | <0.00005 | <0.001 | 0.015 | 4.4 | 1.5 | 0.023 | 11 | 11 | 3.4 | <5 | 47 | <5 | -5 | 2.4 | <0.5 | 26 | 6 | <0.005 | 190 | 1.2 | 0.064 | <0.005 | <0.005 | 5.2 | 0.08 | 120 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | 8 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW7 | 179898 | 14/11/2017 | <0.001 | <0.0001 | <0.001 | <0.001 | 0.019 | <0.001 | 0.016 | <0.00005 | <0.001 | 0.014 | 4 | 0.89 | 0.018 | <5 | <5 | 2.6 | <5 | 51 | <5 | 2 | 2.6 | <0.5 | 29 | 6 | <0.005 | 190 | 0.2 | 0.06 | <0.005 | – | 4.8 | <0.05 | 100 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | 15 | <1 | <1 | <1 | 19 | <2 | <1 | <0.01 | 0.023 |
| GW7 | 181992 | 12/12/2017 | <0.001 | <0.0001 | <0.001 | <0.001 | 0.030 | <0.001 | 0.016 | <0.00005 | <0.001 | 0.010 | 2.3 | 0.86 | 0.018 | <5 | <5 | 2.6 | <5 | 48 | <5 | 6 | 2.5 | <0.5 | 30 | 6 | <0.005 | 180 | <0.1 | 0.04 | 0.006 | <0.005 | 5.1 | <0.05 | 91 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | 14 | <1 | <1 | <1 | 37 | <2 | <1 | 0.025 | 0.039 |
| GW7 | 184199-(R01) | 30/01/2018 | <0.001 | <0.0001 | <0.001 | <0.001 | 0.088 | <0.001 | 0.012 | <0.00005 | <0.001 | 0.021 | 3.8 | 0.67 | 0.012 | <5 | <5 | 1.8 | <5 | 50 | <5 | 0 | 2.7 | <0.5 | 28 | 6 | <0.005 | 190 | 0.2 | 0.03 | 0.006 | 0.046 | 4.7 | <0.05 | 110 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | 17 | <1 | <1 | <1 | 25 | <2 | <1 | 0.017 | 0.028 |
| GW7 | 185693 | 20/02/2018 | <0.001 | <0.0001 | <0.001 | <0.001 | 0.430 | <0.001 | 0.017 | <0.00005 | <0.001 | 0.010 | 5.4 | 1.4 | 0.014 | 11 | 11 | 2.4 | <5 | 45 | <5 | 4 | 3.0 | <0.5 | 32 | 4 | <0.005 | 170 | 0.3 | 0.03 | 0.010 | 0.040 | 4.9 | 0.1 | 100 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | 7 | <1 | <1 | <1 | 22 | <2 | <1 | 0.015 | 0.022 |
| GW7 | 187224 | 13/03/2018 | <0.001 | <0.0001 | <0.001 | <0.001 | 0.330 | <0.001 | 0.016 | <0.00005 | <0.001 | 0.009 | 9.2 | 2.9 | 0.018 | 7 | 7 | 2.2 | <5 | 49 | <5 | -5 | 2.6 | <0.5 | 27 | 5 | <0.005 | 190 | 0.4 | 0.02 | 0.007 | 0.039 | 4.8 | 0.2 | 100 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | 14 | <1 | <1 | <1 | 27 | <2 | <1 | 0.013 | 0.027 |
| GW7 | 190212 | 23/04/2018 | <0.001 | <0.0001 | <0.001 | <0.001 | 0.190 | <0.001 | 0.014 | <0.00005 | <0.001 | 0.010 | 6.4 | 1.7 | 0.018 | 5 | 5 | 2.2 | <5 | 44 | <5 | 10 | 2.6 | <0.5 | 31 | 5 | 0.014 | 200 | 0.4 | 0.04 | 0.012 | 0.034 | 4.9 | 0.1 | 100 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | 17 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW8 - Adopted Groundwater Trigger Values (Table 5.2) Water Management Plan | | | 0.001 | 0.0002 | 0.001 | 0.026 | 6.2 | 0.001 | 0.33 | 0.00005 | 0.057 | 0.12 | | | | | | | | | | | | | | | 0.017 | 220 | | 0.05 | 0.012 | 0.007 | 4.1-5.6 | | | | | | | | | | | | | | | | | | | | 0.061 | 0.13 | 0.1 | 0.061 | | | | 1 | 1 | | 1 | 10 | 2 | 1 | 0.010 | 0.010 |
| GW8 | 176578 | 26/09/2017 | <0.001 | <0.0001 | <0.001 | <0.001 | 0.17 | <0.001 | 0.28 | <0.00005 | 0.005 | 0.021 | 0.81 | 22 | 0.29 | <5 | <5 | 0.8 | <5 | 58 | <5 | -1 | 4.2 | 1.3 | 29 | 4 | 0.036 | 210 | 0.2 | 0.005 | <0.005 | <0.005 | 4.5 | <0.05 | 120 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | 0.71 | 0.96 | <0.1 | 0.71 | 220 | 1400 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW8 | 178467(-A) | 24/10/2017 | <0.001 | <0.0001 | <0.001 | <0.001 | 0.36 | <0.001 | 0.30 | <0.00005 | 0.005 | 0.023 | 0.5 | 39 | 0.31 | <5 | <5 | 0.8 | <5 | 57 | <5 | -2 | 4.4 | 1 | 28 | 5 | <0.005 | 210 | <0.1 | 0.009 | <0.005 | <0.005 | 4.7 | <0.05 | 140 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW8 | 179898 | 14/11/2017 | <0.001 | <0.0001 | <0.001 | <0.001 | 1.5 | <0.001 | 0.29 | <0.00005 | 0.005 | 0.023 | 0.36 | 15 | 0.3 | <5 | <5 | 0.8 | <5 | 59 | <5 | 1 | 4.5 | 1 | 31 | 5 | <0.005 | 210 | <0.1 | 0.005 | <0.005 | – | 4.7 | <0.05 | 130 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW8 | 181992 | 12/12/2017 | <0.001 | <0.0001 | <0.001 | <0.001 | 0.022 | <0.001 | 0.28 | <0.00005 | 0.005 | 0.023 | 0.14 | 11 | 0.26 | <5 | <5 | 0.8 | <5 | 57 | <5 | 2 | 4.4 | 1.1 | 31 | 4 | <0.005 | 220 | <0.1 | 0.006 | <0.005 | <0.005 | 4.5 | <0.05 | 110 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW8 | 184199-(R01) | 30/01/2018 | <0.001 | <0.0001 | <0.001 | <0.001 | 1.6 | <0.001 | 0.29 | <0.00005 | 0.005 | 0.027 | 1.2 | 22 | 0.31 | <5 | <5 | 0.7 | <5 | 57 | <5 | -3 | 4.2 | 1 | 28 | 5 | <0.005 | 210 | <0.1 | 0.01 | <0.005 | 0.066 | 4.9 | <0.05 | 150 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW8 | 185693 | 20/02/2018 | <0.001 | <0.0001 | <0.001 | <0.001 | 2.5 | <0.001 | 0.29 | <0.00005 | 0.005 | 0.021 | 0.16 | 12 | 0.29 | 7 | 7 | 0.8 | <5 | 52 | <5 | 3 | 4.6 | 1 | 31 | 4 | <0.005 | 180 | <0.1 | 0.01 | <0.005 | 0.055 | 5.1 | <0.05 | 140 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW8 | 187224 | 13/03/2018 | <0.001 | <0.0001 | <0.001 | <0.001 | 1.1 | <0.001 | 0.27 | <0.00005 | 0.005 | 0.034 | 0.64 | 82 | 0.29 | 6 | 6 | 0.7 | <5 | 55 | <5 | -7 | 4.1 | 1 | 26 | 4 | <0.005 | 200 | <0.1 | <0.005 | <0.005 | 0.059 | 4.8 | <0.05 | 100 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW8 | 190212 | 23/04/2018 | <0.001 | <0.0001 | <0.001 | <0.001 | <0.01 | <0.001 | 0.29 | <0.00005 | 0.005 | 0.04 | 0.24 | 35 | 0.28 | <5 | <5 | 0.8 | <5 | 50 | <5 | 10 | 4.4 | 1.1 | 32 | 4 | <0.005 | 210 | <0.1 | 0.008 | <0.005 | 0.049 | 4.8 | <0.05 | 110 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW9 - Adopted Groundwater Trigger Values (Table 5.2) Water Management Plan | | | 0.001 | 0.0003 | 0.001 | 0.022 | 57 | 0.002 | 3.6 | 0.00005 | 0.14 | 0.33 | | | | | | | | | | | | | | | 0.097 | 4300 | | 0.016 | 0.018 | 0.005 | 3.6-5.5 | | | | | | | | | | | | | | | | | | | | 0.11 | 0.1 | 0.1 | 0.11 | | | | 1 | 1 | | 1 | 10 | 2 | 1 | 0.010 | 0.010 |
| GW9 | 176578 | 26/09/2017 | <0.001 | <0.0001 | <0.001 | 0.063 | 24 | <0.001 | 1.2 | <0.00005 | 0.03 | 0.16 | 3.7 | 39 | 1.2 | <5 | <5 | 2.9 | <5 | 390 | <5 | -2 | 29 | 2.5 | 280 | 200 | 0.1 | 1700 | 0.4 | <0.005 | <0.005 | <0.005 | 4.0 | <0.05 | 940 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW9 | 178467(-A) | 24/10/2017 | <0.001 | <0.0001 | <0.001 | 0.084 | 22 | <0.001 | 1.2 | <0.00005 | 0.032 | 0.17 | 2.5 | 33 | 1.2 | <5 | <5 | 2.3 | <5 | 390 | <5 | -2 | 29 | 2.5 | 280 | 230 | 0.075 | 1700 | 0.3 | 0.02 | <0.005 | <0.005 | 4.6 | <0.05 | 920 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW9 | 179898 | 14/11/2017 | <0.001 | <0.0001 | <0.001 | 0.034 | 31 | <0.001 | 1.3 | <0.00005 | 0.031 | 0.16 | 3.9 | 37 | 1.2 | <5 | <5 | 3 | <5 | 410 | <5 | 9 | 31 | 2.5 | 370 | 210 | 0.072 | 1600 | 0.3 | <0.005 | <0.005 | – | 4.7 | <0.05 | 1100 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW9 | 181992 | 12/12/2017 | <0.001 | <0.0001 | <0.001 | 0.072 | 17 | <0.001 | 1.3 | <0.00005 | 0.033 | 0.17 | 4.8 | 41 | 1.4 | <5 | <5 | 2.5 | <5 | 420 | <5 | 8 | 33 | 2.7 | 370 | 200 | 0.077 | 1800 | 0.2 | <0.005 | <0.005 | <0.005 | 4.1 | 0.07 | 1000 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW9 | 184199-(R01) | 30/01/2018 | <0.001 | <0.0001 | <0.001 | 0.045 | 22 | <0.001 | 1.8 | <0.00005 | 0.041 | 0.20 | 4.5 | 47 | 2.1 | 8 | 8 | 3.1 | <5 | 500 | <5 | -7 | 36 | 3 | 290 | 210 | 0.067 | 2000 | 0.3 | 0.01 | <0.005 | 0.086 | 4.8 | 0.1 | 1100 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW9 | 185693 | 20/02/2018 | <0.001 | <0.0001 | <0.001 | 0.002 | 43 | <0.001 | 2.2 | <0.00005 | 0.047 | 0.21 | 1.7 | 58 | 2.2 | 11 | 11 | 4.0 | <5 | 490 | <5 | 16 | 46 | 3.5 | 460 | 170 | 0.055 | 2000 | 0.3 | 0.02 | <0.005 | 0.066 | 4.8 | 0.4 | 1300 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW9 | 187224 | 13/03/2018 | <0.001 | <0.0001 | <0.001 | 0.007 | 32 | <0.001 | 1.1 | <0.00005 | 0.032 | 0.16 | 2 | 40 | 1.5 | 10 | 10 | 2.4 | <5 | 400 | <5 | -7 | 27 | 2.6 | 260 | 200 | 0.076 | 1600 | 0.2 | 0.03 | <0.005 | 0.072 | 4.7 | <0.05 | 1000 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW9 | 190212 | 23/04/2018 | <0.001 | <0.0001 | <0.001 | 0.019 | 8.5 | <0.001 | 1.3 | <0.00005 | 0.035 | 0.17 | 3 | 34 | 1.4 | 6 | 6 | 2.3 | <5 | 400 | <5 | 4 | 32 | 2.9 | 380 | 210 | 0.077 | 1600 | 0.3 | 0.02 | <0.005 | 0.062 | 4.7 | <0.05 | 1000 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW10a - Adopted Groundwater Trigger Values (Table 5.2) Water Management Plan[#] | | | 0.002 | 0.0001 | 0.001 | 0.002 | 7.5 | 0.002 | 0.43 | 0.00005 | 0.005 | 0.014 | | | | | | | | | | | | | | | 0.095 | 450 | | 2.2 | 0.005 | 0.024 | 4.3-5.9 | | | | | | | | | | | | | | | | | | | | 0.24 | 0.19 | 0.1 | 0.24 | | | | 1 | 1 | | 1 | 10 | 2 | 1 | 0.010 | 0.010 |
| GW10a | 176578 | 26/09/2017 | 0.002 | <0.0001 | <0.001 | <0.001 | 170 | <0.001 | 4.3 | <0.00005 | 0.044 | 0.026 | 1.1 | 210 | 4.3 | 15 | 15 | 13 | <5 | 1300 | <5 | -8 | 120 | 2.9 | 490 | 86 | 0.06 | 3800 | 0.3 | <0.005 | <0.005 | <0.005 | 5.4 | 0.08 | 2300 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | 0.17 | 0.36 | <0.1 | 0.17 | <50 | 490 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW10a | 178467(-A) | 24/10/2017 | <0.001 | <0.0001 | <0.001 | <0.001 | 200 | <0.001 | 4.4 | <0.00005 | 0.048 | 0.021 | 0.14 | 200 | 4.4 | 34 | 34 | 11 | <5 | 1200 | <5 | -5 | 120 | 2.8 | 490 | 84 | 0.052 | 3900 | 0.1 | 0.02 | <0.005 | <0.005 | 5.5 | 0.06 | 2100 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW10a | 179898 | 14/11/2017 | 0.002 | <0.0001 | <0.001 | <0.001 | 200 | <0.001 | 4.6 | <0.00005 | 0.047 | 0.020 | 0.14 | 200 | 4.8 | 42 | 42 | 11 | <5 | 1300 | <5 | -1 | 120 | 2.8 | 620 | 88 | 0.063 | 3300 | 0.1 | <0.005 | <0.005 | – | 5.5 | 0.06 | 2400 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW10a | 181992 | 12/12/2017 | <0.001 | <0.0001 | <0.001 | <0.001 | 180 | <0.001 | 4.5 | <0.00005 | 0.047 | 0.022 | 0.2 | 200 | 4.5 | 22 | 22 | 12 | <5 | 1200 | <5 | 2 | 120 | 3 | 630 | 83 | 0.049 | 3900 | 0.1 | <0.005 | <0.005 | <0.005 | 5.6 | 0.07 | 2400 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW10a | 184199-(R01) | 30/01/2018 | 0.001 | <0.0001 | <0.001 | <0.001 | 170 | <0.001 | 4.6 | <0.00005 | 0.047 | 0.023 | 0.36 | 200 | 4.7 | 8 | 8 | 11 | <5 | 1200 | <5 | -9 | 110 | 2.9 | 460 | 84 | 0.046 | 2000 | 0.1 | 0.006 | <0.005 | 0.086 | 4.8 | 0.06 | 1800 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW10a | 185693 | 20/02/2018 | 0.002 | <0.0001 | <0.001 | <0.001 | 200 | <0.001 | 4.7 | <0.00005 | 0.048 | 0.023 | 0.28 | 200 | 4.7 | 43 | 43 | 12 | <5 | 1100 | <5 | 6 | 130 | 3.1 | 620 | 75 | 0.061 | 3600 | <0.1 | <0.005 | <0.005 | 0.058 | 5.6 | 0.10 | 1100 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW10a | 187224 | 13/03/2018 | 0.002 | <0.0001 | <0.001 | <0.001 | 200 | <0.001 | 4.1 | <0.00005 | 0.046 | 0.021 | 0.16 | 190 | 4.7 | 50 | 50 | 10 | <5 | 1200 | <5 | -15 | 110 | 2.8 | 390 | 83 | 0.042 | 3700 | <0.1 | <0.005 | <0.005 | 0.06 | 5.5 | 0.07 | 2100 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |
| GW10a | 190212 | 23/04/2018 | <0.001 | <0.0001 | <0.001 | <0.001 | 150 | <0.001 | 4.6 | <0.00005 | 0.049 | 0.022 | 0.1 | 200 | 4.5 | 42 | 42 | 11 | <5 | 1100 | <5 | | 120 | 3.1 | 600 | 93 | 0.059 | 2800 | <0.1 | 0.005 | <0.005 | 0.058 | 5.5 | 0.06 | 1600 | <1 | <1 | <1 | <1 | <1 | <2 | <1 | <1 | <1 | <5 | <1 | <1 | <1 | <1 | 0 | <1 | <1 | <0.05 | <0.1 | <0.1 | <0.05 | <50 | <100 | <100 | <1 | <1 | <1 | <1 | <10 | <2 | <1 | <0.01 | <0.01 |

Note: # Triggers values developed from bores lost to construction activities